


AGRICULTURE AND PTO CATALOGUE

branches


BRISBANE
BROKEN HILL
COBAR
DUBBO
MACKAY
MELBOURNE
NEWCASTLE
PERTH
SYDNEY
TOWNSVILLE





AGRICULTURAL

Polythene covered drive shaft



Attention: Universals must be greased every 50 hours use.
Drive shaft telescopic slide to be greased daily.

Power Ratings


Drive Shafts @ 550 r.p.m kw (HP)

SHAFT SELECTIONS

CONDITIONS OF DRIVE 1	SERIES							EMARKS
	AG 2	AG 3	AG 4	AG 5	AG 7	AG 8	AG R	
Very Severe	11 (15)	12 (16)	16 1 (22)	6 (22)	34 (46)	34 (46)	41 (55)	Heavy shock loading and where high angle is encountered.
Average	15 (20)	16 (22)	22 (30)	22 (30)	46 4 (62)	6 (62)	55 (74)	Occasional shock loading and where working angle does not exceed 20 degrees.
Ideal	24 (32)	26 3 (35)	6 3 (48)	6 (48)	72 (97)	72 (97)	88 (118)	Smooth running without shock loading and where working angle does not exceed 5 degrees.
Maximum intermittent angle	30	40	40	40	40	40	40	
Maximum continuous angle	20	20	20	20	20	20	20	
Method of calculating T torque and power	$\text{torque (Nm)} = \frac{\text{kW} \times 9555}{\text{r.p.m}}$ $\text{Power (kW)} = \frac{\text{torque} \times \text{r.p.m}}{9555}$							
T	$\text{torque (lbf in)} = \frac{\text{HP} \times 63025}{\text{r.p.m}}$ $\text{Power (HP)} = \frac{\text{torque} \times \text{r.p.m}}{63025}$							
1	$\text{kW} = 1.34 \text{ HP}$ $1 \text{ Nm} = 8.85 \text{ lbf in}$							

AGRICULTURAL

Polythene covered drive shaft




Attention: Universals must be greased every 50 hours use.
Drive shaft telescopic slide to be greased daily.

COMPLETE SHAFTS

L	length	Part No. N	otes / Suggestions
Series: 1AG	Suits U/J 114.100 4		
(	41.3 1 1050)	AGL.02.1050	Shaft unwelded one end
Series: 2AG	Suits U/J 40100 1		
(	59.1 2 1500)	AGL.02.1500	Shaft unwelded one end
Series: 4AG	Suits U/J K5LGB36 R		
(	59.1 4 1500)	AGL.02.1500	Shaft unwelded one end
Series: 5AG	Suits U/J 40100 3		
(	41.3 5 1050)	AGS.02.1050	Shaft unwelded one end
Series: 8AG	Suits U/J 114.510 9		
(	47.2 8 1200)	AGS.02.1200	Shaft unwelded one end

Standard shafts are fitted with 1.375 x 6 spline quick release yokes both ends and are fitted with durable polythene safety covers.
Special bored and splined yokes are available.

AGRICULTURAL




QUICK RELEASE YOKES - SPLINED

Bore S	L	ength P	art No. N	otes / Suggestions
Series: 1AG		Suits U/J 114.100 4		
1.375 x 6 (34.9 x 6)		3.35 (85.0)	1YB9.1375	
Series: 2AG		Suits U/J 40100 1		
1.375 x 6 (34.9 x 6)		3.83 (97.5)	2YB9.1375	
Series: 4AG		Suits U/J K5LGB36 R		
1.375 x 6 (34.9 x 6)		4.29 (109.0)	4YB9.1375	
Series: 5AG		Suits U/J 40100 3		
1.375 x 6 (34.9 x 6)		4.44 (112.7)	5YB9.1375	
1.750 x 20 4 (44.5 x 20) (		.44 112.7)	5YB9.1750.20	
Series: 8AG		Suits U/J 114.510 9		
1.375 x 6 (34.9 x 6) (		5.04 128.0)	8YB9.1375	

**Many more quick release yokes available on request.
Please call our sales team if the part you want is not listed.**

AGRICULTURAL



PINCH BOLT YOKES - SPLINED

Bore L S	Length P	Part No. N	Notes / Suggestions
Series: 1AG 1.375 x 6 (34.9 x 6)	Suits U/J 114.1004 3.43 (87.2)	1YB3.1375	
Series: 2AG 1.375 x 6 (34.9 x 6)	Suits U/J 40100 1 3.86 (98.1)	2YB3.1375	
Series: 4AG 1.375 x 6 (34.9 x 6)	Suits U/J K5LGB36 R 4.29 (109.0)	4YB3.1375	
Series: 5AG 1.375 x 6 (34.9 x 6) (	Suits U/J 401003 4.49 114.0)	5YB3.1375	

**Many more pinch bolt yokes available on request.
Please call our sales team if the part you want is not listed.**

AGRICULTURAL




PLAIN BORE YOKES – TAPPED FOR SET SCREW

Bore K S	eyway X	Length L	Part No. N	otes / Suggestion s
Series: 1AG Suits U/J 114.100 4				
.750 0 (19.1) (	.313 8.0)		1YM7.0750 (	.313 Set Screw 8.0)
1.000 (25.4) (	0.250 2 6.4) (	.46 62.6)	1YM7.1000 (	.313 Set Screw 8.0)
Series: 2AG Suits U/J 401001				
1.250 (31.8) (	0.375 3 9.5) (	.56 90.5)	2YM7.1250 (	.375 Set Screw 9.5)
1.375 (25.4) (	0.375 3 9.5) (	.56 90.5)	2YM7.1375 (	.375 Set Screw 9.5)
Series: 4AG Suits U/J K5LGB36 R				
1.250 (31.8) (	0.375 3 9.5) (	.96 100.5)	4YM7.1250 (	.375 Set Screw 9.5)
1.375 (34.9) (	0.375 3 9.5) (	.96 100.5)	4YM7.1375 (	.375 Set Screw 9.5)
1.500 (38.1) (	0.375 3 9.5) (	.96 100.5)	4YM7.1500 (	.500 Set Screw 12.7)
Series: 5AG Suits U/J 40100 3				
1.375 (34.9) (	0.375 4 9.5) (	.15 105.5)	5YM7.1375 (	.375 Set Screw 9.5)
1.500 (38.1) (	0.375 4 9.5) (	.15 105.5)	5YM7.1500 (	.500 Set Screw 12.7)

**Many more plain bore yokes available on request.
Please call our sales team if the part you want is not listed.**

AGRICULTURAL






PINCH BOLT YOKES - PLAIN BORE

Bore K S	eyway X	Length L	Part No. N	otes / Suggestion s
Series: 4AG	Suits U/J K5LGB36R			
1.375 (34.9) (	0.375 4 9.5) (	.31 109.5)	4YB2.1375	

**Many more plain bore yokes with pinch bolt available on request.
Please call our sales team if the part you want is not listed.**

AGRICULTURAL





SHAFTING AND TUBING

Dimensions S	old Per	Series U Y	se Weld oke	Part Number	Notes / Suggestion s
Rectangular Tube					
1.000 x 1.125 P (25.4 x 28.6)	er 100mm	0600	15.5131	70.1001	
1.250 x 1.375 P (31.8 x 34.9)	er 100mm	1200 1800 2000	12.1138	70.1250	


Dimensions S	old Per	Series U Y	se Weld oke	Part Number	Notes / Suggestion s
Round Tube					
1.625 x .065 (41.3 x 1.7)	Per 100mm	0600 L600	15.5132	70.1625	Round
2.250 x .120 (57.2 x 3.0)	Per 100mm	2200 CP44R	22.1343	70.2250	Round
2.750 x .109 (57.2 x 2.8)	Per 100mm C	P44R 2600 2	6.5155	70.2750	Round

Dimensions S	old Per	Series U Y	se Weld oke	Part Number	Notes / Suggestion s
Rectangular Bar					
.750 x .875 (19.1 x 22.2)	Per 100mm	0600 L600	15.5129	73.0750	
1.000 x 1.125 P (25.4 x 28.6)	er 100mm	1200 1800 2000	12.1340	73.1001	



AGRICULTURAL



Rectangular and Square Bar



Round



Triangular Inner and Outer Tube Sets


SHAFTING AND TUBING

Dimensions K S	Keyway P	Sold Per P	Part No. N	Notes / Suggestions
Solid Bar with full-length keyway				
.750 RND 0 (19.1) (	.188 P 4.8)	Per 100mm	71.0750	
875 RND (22.2) (	0.250 6.4)	Per 100mm	71.0875	

Dimensions S S	Sold Per	Part No. N	Notes / Suggestions
Square Solid Bar			
1.188 SQ (30.2)	Per 100mm	73.1188	
1.313 SQ (33.4)	Per 100mm	73.1313	

Dimensions S S1 S2	Sold Per	Part No. N	Notes / Suggestions
Triangular Inner and Outer Tube Set			
1.141 x .156 (29.0 x 4.0)	Per 100mm	70.0205	Inner
1.422 x .125 (36.0 x 3.2)	Per 100mm	70.0305	Outer
Triangular Inner and Outer Tube Set			
1.422 x .125 (36.0 x 3.2)	Per 100mm	70.0305	Inner
1.688 x .141 (42.9 x 3.6)	Per 100mm	70.0304	Outer



AGRICULTURAL



SHAFTING AND TUBING

Dimensions S S1 S2	old Per	Part No. N	otes / Suggestions
Triangular Inner and Outer Tube Set			
1.422 x .172 P (36.0 x 4.4)	er 100mm	70.0405	Inner
1.688 x .141 P (42.9 x 3.6)	er 100mm	70.0304	Outer
Triangular Inner and Outer Tube Set			
1.781 x .156 P (45.2 x 4.0)	er 100mm	70.0505	Inner
2.031 x .125 (51.6 x 3.2)	Per 100mm	70.0504	Outer
Triangular Inner and Outer Tube Set			
1.750 x .156 P (45.0 x 4.0)	er 100mm	70.0505	Inner
2.125 x .156 P (54.0 x 4.0)	er 100mm	70.0704	Outer
Triangular Inner and Outer Tube Set			
1.750 x .212 P (44.4 x 5.5)	er 100mm	70.0705	Inner
2.125 x .156 P (54.0 x 4.0)	er 100mm	70.0704	Outer
Triangular Inner and Outer Tube Set			
2.125 x .156 P (54.0 x 4.0)	er 100mm	70.0704	Inner
2.500 x .156 P (64.0 x 4.0)	er 100mm	70.0804	Outer

AGRICULTURAL




SHAFTING AND TUBING

Dimensions S S1 S2	old Per	Part No. N	otes / Suggestions
Lemon Inner and Outer Tube Set			
.922 x .141 (23.5 x 3.6)	Per 100mm	70.2105	Inner
1.188 x .110 P (30.2 x 2.8)	er 100mm	70.2104	Outer
Lemon Inner and Outer Tube Set			
1.360 x .156 P (34.5 x 4.0)	er 100mm	70.2205	Inner
1.625 x .110 P (41.3 x 2.8)	er 100mm	70.2204	Outer
Lemon Inner and Outer Tube Set			
1.563 x .172 P (39.7 x 4.4)	er 100mm	70.2405	Inner
1.891 x .156 P (48.0 x 4.0)	er 100mm	70.2404	Outer

Dimensions S S1 S2	old Per	Part No. N	otes / Suggestions
Star Inner and Outer Tube Sets			
2.000 (50.8)	Per 100mm	70.2505	Inner
2.410 x .172 P (61.0 x 4.4)	er 100mm	70.2504	Outer


AGRICULTURAL



UNIVERSAL JOINT DIMENSIONAL DATA.

DIA	INT	EXT	CAPS					
C	W1	W2	QTY	TYPE	FIG	PART No.	LUBE	SERIES
22		54	4	1	2	K5A588	1	BYPY PTO
22		55	4	1	2	K5A589	1	WALTERSCHEID PTO
23.8	37.7		4	2	1	0675X	1	0600 SERIES
23.8	37.7		4	2	1	0675X.1A	3	0600 SERIES
23.8	38.1		4	2	1	5.170X	1	1000 SERIES
23.8		62	4	1	2	K5A64	1	1140 SERIES PTO
24.6	36.8		4	2	1	114.1004	1	L6N SERIES
25.4	46.8		4	2	1	401001	1	2AG SERIES
25.4	59.53		4	2	1	114.2101	2	2R SERIES
26.9	46.04		4	2	1	RUJ1788	1	1200 SERIES
26.99		74.61	4	1	2	K5LGB36R	1	1300 SERIES PTO
27		70	4	1	2	K5A590	1	WALTERSCHEID PTO
28.58		66.67	4	1	2	CPL14N	1	2000 SERIES
28.58		66.67	4	1	2	CPL14N.1A	3	2000 SERIES
30.16		92.08	4	1	2	K5A18R	1	1350 SERIES PTO
30.2		80	4	1	2	K5A591	1	BYPY PTO
31.75		81.36	4	1	2	CP35N	1	2200 SERIES
32		76	4	1	2	K5A592	1	WALTERSCHEID
33.35	70.64		4	2	1	CP44R	2	ROCKWELL PTO
33.35	84.15		4	2	1	114.5109	2	8AG SERIES
34.93		106.38	4	1	2	K5A538	1	1480 SERIES PTO
36		89	4	1	2	K5A593	1	WALTERSCHEID
38.89		109.6	4	1	2	CP55N	2	


AGRICULTURAL



PLAIN BORE YOKES – TAPPED FOR SET SCREW

Bore K S	eyway X	Length L	Part No. N	otes / Suggestion s
SERIES: 1000	Suits U/J 5-170X			
Blank - --	2 (	.50 63.5)	10.4.5B	Forged blank yoke
0.625 (15.9) (	0.188 2 4.8) (	.50 63.5)	10.4.373	
0.750 (19.1) (	0.188 1 4.8)	.69 (43.0)	10.4.4693	
0.750 (19.1) (	0.188 2 4.8) (	.50 63.5)	10.4.13	
0.875 (22.2) (	0.250 2 6.4) (	.50 63.5)	10.4.63	
0.875 (22.2)	-	2.50 (63.5)	10.4.05105	
1.000 (25.4) (	0.250 2 6.4) (	.76 70)	10.4.5322	Clamp Type
1.000 (25.4) (	0.250 2 6.4) (	.50 63.5)	10.4.573	
1.125 (28.6) (	0.250 2 6.4) (	.50 63.5)	10.4.143	
1.125 (28.6) (	0.313 2 7.9) (	.50 63.5)	10.4.123	
1.250 (31.8) (	0.313 2 7.9) (	.50 63.5)	10.4.193	
1.250 (31.8) (	0.250 2 6.4) (	.50 63.5)	10.4.183	
1.375 (34.9) (	0.313 2 7.9) (	.50 63.5)	10.4.293	

AGRICULTURAL



PLAIN BORE YOKES – TAPPED FOR SET SCREW

Bore K S	eyway X	Length L	Part No. N	otes / Suggestion s
SERIES: 1200 Suits U/J RUJ178 8				
Blank - -	3 -	.62 (91.9)	12.4.1100AH	Blank forged yoke
.875 0 (22.2) (	.250 2 (6.4) (	.75 (69.9)	12.4.1133	
1.000 (25.4) (	0.250 (6.4) (	2.75 (69.9)	12.4.1135	
1.125 (28.6) (	0.250 (6.4) (	2.75 (69.9)	12.1162	
1.250 (31.8) (	0.313 (7.9) (	2.75 (69.9)	12.4.1139	
1.250 (31.8) (	0.313 (7.9) (	3.50 (88.9)	12.4.1119	
1.375 (34.9) (	0.313 (7.9) (	3.50 (63.5)	12.4.1120	
1.500 (38.1) (	0.375 (9.5) (	2.75 (69.9)	12.4.1175	
SERIES: 1800 Suits U/J 114.210 1				
1.000 (25.4) (	0.250 (6.4) (	3.75 (95.3)	18.4.7115	
1.250 (31.8) (	0.313 (7.9) (	3.75 (95.3)	18.4.7119	
SERIES: 2000 Suits U/J CPL14N				
1.000 (25.4) (	0.250 (6.4) (	3.75 (95.3)	20.4.9115	
1.125 (28.6) (	0.313 (7.9) (	3.75 (95.3)	20.4.9117	
1.188 (30.2) (	0.313 (7.9) (	3.75 (95.3)	20.4.9118	
1.250 (31.8) (	0.313 (7.9) (	3.75 (95.3)	20.4.9119	

CONTINUED NEXT PAGE


AGRICULTURAL



PLAIN BORE YOKES – TAPPED FOR SET SCREW

Bore K S	eyway X	Length L	Part No. N	otes / Suggestion s
SERIES: 2000 Suits U/J CPL14 N				
1.375 (31.8) (	0.313 7.9) (	3.75 95.3)	20.4.9120	
1.500 (38.1) (	0.375 9.5) (	3.75 95.3)	20.4.9307	
SERIES: 2200 Suits U/J CP35N / CP35N.1 A				
1.250 (31.8) (	0.313 7.9) (	4.18 106.4)	22.4.1116	
1.500 (38.1) (	0.375 9.5) (	4.18 106.4)	22.4.1120	
SERIES: 2600 Suits U/J K5 A538				
1.500 (31.8) (	0.375 9.5) (	4.50 114.3)	26.4.5119	
1.750 (44.5) (	0.375 9.5) (	4.06 103.2)	26.4.5131	
SERIES: 55N SERIES Suits U/J CP55N				
1.500 (38.1) (	0.375 9.5) (	4.06 103.2)	55.4.2410	
1.750 (44.5) (	0.375 9.5) (	4.06 103.2)	55.4.2800	
2.000 (50.8) (	0.500 12.7)	5.56 (141.3)	55.4.9320	


AGRICULTURAL




PINCH BOLT YOKES

Bore B S	olt Fit D1 L	Length P	art No.	Notes / Suggestion s
SERIES: 2200 Suits U/J CP35N CP35N.1 A				
1.375 x 6 (34.9 x 6) (	.313 4 7.9) (	.75 120.7)	22.4.1140	
1.375 x 21 . (34.9 x 21)	500 (12.7) (	4.75 120.7)	22.4.1105	
SERIES: 55N Suits U/J CP55 N				
1.750 x 20 . (44.5 x 20)	625 (15.9) (	5.13 130.2)	55.4.2836	

AGRICULTURAL



Slide Collar QR Type



QUICK RELEASE YOKES- SPLINED

Bore SL	Length	Pin Repair Kit Part No.	Part No.	Notes / Suggestions
SERIES:1 000 Suits U/J5 .170X				
1.375x 21 (34.9x 21)(	3.563 90.5)	56.1857	10.4.5411	Pin type
1.375x 63 (34.9x 6)	.563 (90.5)	56.1857	10.4.139	Pin type
1.000x 15 (25.4x 15)(	2.813 71.4)	56.0615	10.4.5366	Slide collar type
SERIES:1 200 Suits U/J RUJ1788				
1.000x 15 (25.4x 15)(	3.250 82.55)	56.1857	12.4.2300	Slide collar type
1.375x 64 (34.9x 21)(	.063 103.2)	56.1857	12.4.1101	Pin type
1.375x 64 (34.9x 21)(	.063 103.2)	56.1857	12.4.2330	Slide collar type
1.375x 21 (34.9x 21)(	4.063 103.2)	56.1857	12.4.1193	Pin type
SERIES:1 800 Suits U/J1 14.2101				
1.375x 64 (34.9x 6)	.250 (108.0)	56.1857	18.4.7403	Pin type
1.375x 21 (34.9x 21)(	4.250 108.0)	56.1857	18.4.7406	Pin type
SERIES:2 000 Suits U/JC PL14N				
1.375x 64 (34.9x 6)	.250 (108.0)	56.1857	20.4.9309	Pin type
1.375x 21 (34.9x 21)(	4.250 108.0)	56.1857	20.4.9325	Pin type
SERIES:2 200 Suits U/JC P35N CP35N.1A				
1.375x 21 (34.9x 21)(	4.813 122.3)	56.1857	22.4.2317	Pin type


AGRICULTURAL



QUICK RELEASE YOKES – SPLINED

Bore L S	Length P L	in Repair Kit Part No. P	art No.	Notes / Suggestions
SERIES: 2600 Suits U/J K5A538				
1.375 x 6 5 (34.9 x 6) (	.250 133.4)	56.1857	26.4.5321	Pin type
1.375 x 21 (34.9 x 21)	5.063 (128.6)	56.1857	26.4.5319	Pin type
1.750 x 20 (44.5 x 20)	6.000 (152.4)	56.2669	26.4.5163	Collar type
SERIES: 55N Suits U/J CP55N				
1.375 x 6 5 (34.9 x 6) (	.813 147.6)	56.1857	55.4.9306	Pin type
1.375 x 21 (34.9 x 21)	5.813 (147.6)	56.1857	55.4.9321	Pin type
1.750 x 20 (44.5 x 20)	6.375 (161.9)	56.2446	55.4.9320	Pin type

AGRICULTURAL



SPLINED YOKES – TAPPED FOR SET SCREW

Bore L S	Length L	LTH L1 P	Part No. N	Notes / Suggestions
SERIES: 1000 Suits U/J 5.170X				
.875 x 13 3 (22.2 x 13)	.740 - (95.0)		10.4.641	
1.000 x 6 2 (25.4 x 6) (	.500 - 63.5)		10.4.101	
1.125 x 6 2 (28.6 x 6) (	.500 . 63.5)	625 (15.9)	10.4.11	
1.375 x 6 2 (34.9 x 6) (	.500 . 63.5)	375 (9.5)	10.4.31	
.875 x 13 2 (22.2 x 13)	.500 . (63.5) (	625 15.9)	10.4.481	
SERIES: 1200 Suits U/J RUJ178 8				
1.000 x 15 (25.4 x 15)	3.500 (88.9) (	.750 19.1)	12.4.111CU	
1.125 x 6 3 (28.6 x 6) (	.500 1 88.9)	.250 (31.8)	12.4.1181	
1.375 x 6 3 (34.9 x 6) (	.500 . 88.9)	938 (23.8)	12.4.1172	
SERIES: 2000 Suits U/J CPL14 N				
1.375 x 6 3 (34.9 x 6) (	.750 . 95.3)	938 (23.8)	20.4.9132	
SERIES: 2200 Suits U/J CP35N CP35N.1A				
1.375 x 6 4 (34.9 x 6) (	.188 1 106.4)	.250 (31.8)	22.4.1134	


AGRICULTURAL



SPECIAL YOKES

Bore L S	Length L	LTH L1 P	Part No. N	Notes / Suggestions
SERIES: 1000 Suits U/J 5.170X				
.750 2 (19.1) (	.500 63.5)		10.4.22	Square Bore
.875 2 (22.2) (	.500 63.5)		10.4.12	Square Bore
1.125 2 (28.6) (	.500 63.5)		10.4.1557	Square
SERIES: 1200 Suits U/J RUJ1788				
1.000 2 (25.4) (	.750 . 69.9)	625 (15.9)	12.4.1159	Square
1.375 3 (34.9) (	.250 . 82.6)	500 (12.7)	12.4.1320	Shear Bolt
SERIES: 2000 Suits U/J RUJ1788				
1.250 3 (31.8) (	.750 . 95.3)	875 (22.2)	20.4.9218	Round-Double Keyway .250 .313 (6.4) (8.0)
SERIES: 2200 Suits U/J CP35N CP35N.1A				
1.250 4 (31.8) (	.188 . 106.4) (	875 22.2)	22.4.1218	Round-Double Keyway .250 .313 (6.4) (8.0)
1.375 4 (34.9) (	.188 . 106.4) (	875 22.2)	22.1219	Round-Double Keyway .313 .375 (8.0) (9.5)


AGRICULTURAL



DOUBLE PIVOT YOKES

Length M L	ax Operating Angle	P	art No.	Notes / Suggestion s
1.688 5 (42.9)	°		10.29.5303	
2.500 1 (63.5)	8°		10.29.5361	
3.188 4 (81.0)	5°		10.29.5331	
SERIES: 1200	Suits U/J 1788			
3.375 3 (85.7)	5°		12.29.1356	
SERIES: 1800	Suits U/J 114.2101			
2.126 (54.0)			18.29.1800	
SERIES: 2200	Suits U/J CP35N CP35N.1 A			
2.126 (54.0)			22.29.2200	


AGRICULTURAL



FLANGE YOKES

Bore L S	Length L	Flange Type (D1) C	Bolt H Circle (D)	Shank Dia o	No. of Holes	Part Number
SERIES: 1000	Suits U/J 5.170X					
2.250 1 (57.2) (	.610 40.9)	RND 3.500 (88.9) (	2.750 . 69.9) (	344 8.7)	4	10.2.6902


AGRICULTURAL



SLIP YOKES

Bore L S	Length L	Keyway X	P	Part Number	Notes / Suggestions
SERIES: 1000 Suits U/J 5.170X					
Blank 5 -	.500 - (139.7)			10.3.22x	Forged blank yoke
.750 RND 5 (19.1) (	.500 . (139.7) (	188 4.8)		10.3.13x	Round
.750 SQ (19.1) (	5.500 - (139.7)			10.3.12x	Square Bore
.875 RND 5 (22.2) (	.500 . (139.7) (	250 6.4)		10.3.33x	Round Bore
.875 SQ 5 (28.6 x 10)	.500 - (139.7)			15.5275	Spline
1.250 x 6 (31.8 x 6) (	5.500 - (139.7)			15.5169	Spline
1.000 SQ 5 (25.4) (	.500 - (139.7)			15.5305	Square
SERIES: 1000 Suits U/J 5.170 X					
.875 RND 5 (22.2) (	.500 . (139.7) (	250 6.4)		10.3.33X	Round
SERIES: 1200 Suits U/J RUJ178 8					
2.000 Solid (50.8) (	5.250 (133.4) -	-		12.1100C	Solid forged.
1.250 x 6 (31.8) (	5.250 - (133.4)			12.1171	Spline
1.375 x 16 5 (34.9) (	.250 - (133.4)			12.2322	Spline


AGRICULTURAL



WELD YOKES

Bore L S	Length L	Tube Use	Suits Tube	Part Number N	Notes / Suggestions
SERIES: 0600					
Suits U/J 0675X					
.750 x .875 2 (19.1 x 22.2)	.500 (63.5)	750 x .875 (19.1 x 22.2)	73.0750	10.4.5129	Shaft Type
1.000 x 1.125 (25.4 x 28.6)	2.750 (69.9)	1.000 x 1.125 (25.4 x 28.6)	70.1001	10.5131	Tube Type RECT
1.188 RND (30.2)	3.000 1 (76.2)	.625 x .065 (41.3 x 1.65)	70.1625 1	0.5132	Tube Type RND
1.250 RND (31.8)	2.500 1 (63.5)	.250 x .095 - (31.8 x 2.41)	1	0.5174	Tube Type RND
SERIES: 1200					
Suits U/J RUJ1788					
1.843 Solid (46.8)	2.875 2 (73.0)	.000 x .083 - (50.8 x 2.11)		12.111F6	Solid Butt. Tube Type Round
1.000 x 1.125 (25.4 x 28.6)	2.938 (74.6)	1.000 x 1.125 (25.4 x 28.6)	73.1001	12.1340	Shaft Type
1.281 x 1.406 (32.5 x 35.7)	2.938 (74.6)	1.250 x 1.375 (31.8 x 34.9)	70.1250	12.1318	Tube Type RECT
1.500 RND (38.1)	3.750 2 (95.3)	.000 x .083 - (50.8 x 2.11)	1	2.1334	Tube Type RND
SERIES: 1800					
Suits U/J 114.210 1					
1.000 x 1.125 (25.4 x 28.6)	3.375 (85.7)	1.000 x 1.125 (25.4 x 28.6)	73.1001	18.7327	Shaft Type
1.281 x 1.406 (32.5 x 35.7)	3.375 (85.7)	1.250 x 1.375 (31.8 x 34.9)	70.1250	18.7328	Tube Type RECT
1.500 RND (38.1)	3.500 2 (88.9)	.000 x .083 - (50.8 x 2.11)		18.7305	Tube Type RND
SERIES: 2000					
Suits U/J CPL14 N					
1.000 x 1.125 (25.4 x 28.6)	3.188 (80.9)	1.000 x 1.125 (25.4 x 28.6)	73.1001	20.9126	Shaft Type
1.500 RND (38.1)	4.000 2 (101.6)	.000 x .083 - (50.8 x 2.11)	2	0.9131	Tube Type RND


AGRICULTURAL



WELD YOKES

Bore L S	Length L	Tube Use	Suits Tube	Part Number N	Notes / Suggestions
SERIES: 2200	Suits U/J	CP35N CP35N.1A			
1.188 SQ 3 (30.2) (	.625 - 92.1)		73.1188	22.1344	Shaft Type SQ
1.625 RND (41.3) (	4.500 2 114.3)	.250 x .120 (57.2 x 3.0)	70.2250	22.1343	Tube Type RND
SERIES: 2600	Suits U/J	K5A53 8			
1.313 SQ 4 (33.4) (	.625 117.5)		73.1313	26.5148	Shaft Type SQ
2.000 RND (50.8) (	5.250 2 133.4)	.750 x .109 (69.9 x 2.77)	73.2750	26.5155	Tube Type RND
SERIES: 55N	Suits U/J	CP55N			
1.313 SQ 4 (33.4) (	.500 - 114.3)		73.1313	55.2130	Shaft Type SQ
SOLID BUTT (	4.750 2 120.7)	.500 x .125 (63.5 x 3.2)		55.3640	Tube Type SOLID


AGRICULTURAL



DRIVE NIBS

Spline S	Length L	Tube Use	Tube Part Number P	Part Number N	Notes / Suggestions
SERIES: 0600	Suits U/J 0675X				
.750 x .875 3 (19.1 x 22.2)	.625 1 (92.1) (	.625 x .065 (41.3 x 1.65)	70.1625	53.0600	
SERIES: 1200 1800 2000	Suits U/J RUJ1788				
1.000 x 1.125 (25.4 x 29.6)	5.000 (127.0)	2.000 x .083 - (50.8 x 2.11)	5	3.2034	
SERIES: 2200	Suits U/J CP35N CP35N.1 A				
1.188 SQ 5 (30.2) (	.000 2 (127.0)	.250 x .120 (57.2 x 3.00)	70.2250	53.2434	
SERIES: 44 2600	Suits U/J CP44R				
1.313 (33.4) (	5.000 (127.0)	2.750 x .109 (69.9 x 2.77)	70.2750	53.2644	
SERIES: MISC					
1.625 (41.3) (	6.000 (152.4)	2.250 x .120 (57.2 x 3.00)	70.2250	53.2415	Limited quantities


AGRICULTURAL



SLIP AND STUB ASSEMBLIES

Spline W S	eld-Centre W Compressed	eld-Centre B Extended B	utt P	art Number N	otes / Suggestion s
SERIES: 0600	Suits U/J 0675X				
1.125 x 10 6 (28.6 x 10)	.060 7 (153.9)	.812 1 (198.4)	.063 (27.0)	51.5275	
SERIES: 1200	Suits U/J RUJ1788				
1.375 x 16 5 (34.9 x 16)	.875 7 (149.2)	.375 1 (187.3)	.843 (46.8)	51.2322	

AGRICULTURAL




UNWELDED DRIVESHAFTS


Max Length L	Part Number	Notes / Suggestions
SERIES: 0600	Suits U/J 0675X	
36.000 (914.4)	58.0627	Complete with plastic cover
43.875 (1114.4)	63.0642	
67.875 (1724.0)	63.0666	
SERIES: 1000	Suits U/J 5.170X	
54.125 (1374.8)	11.2701	
66.125 (1679.6)	11.2702	
SERIES: 1200	Suits U/J RUJ1788	
55.250 (1403.4)	63.1254	
67.250 (1708.2)	63.1266	
SERIES: 2000	Suits U/J CPL14 N	
60.000 (1524.0)	58.2052	Complete with plastic cover.
SERIES: 2200	Suits U/J CP35N CP35N. 1A	
60.000 (1524.0)	58.2251	Complete with plastic cover.

AGRICULTURAL

Woodruff Key



Square Key




KEYS

Width S L	Length W P	Woodruff art No.	Part No. N	Notes / Suggestions
Woodruff Keys				
.188 1 (4.8)	.000 (25.4)	13	K1504	
.250 1 (6.4)	.000 (25.4)	15	K1505	
.313 1 (7.9)	.000 B (25.4)		K1506	

A	B	Length P	art No.	Notes / Suggestions
Step Keys				
.313 . (7.9)	250 (6.4)	1.250 (31.8)	K1511	
.250 . (6.4)	188 (4.8)	1.250 (31.8)	K1512	
.375 . (9.5)	313 (7.9)	1.500 (38.1)	K1513	

Width S L	Length	Part No. N	Notes / Suggestions
Square Keys			
.188 x .188 (4.8 x 4.8)	1.000 (25.4)	K1501	
.250 x .250 (6.4 x 6.4)	1.000 (25.4)	K1502	
.313 x .313 (7.9 x 7.9)	1.000 (25.4)	K1503	

AGRICULTURAL



SET SCREWS

Diameter L	Length L	Head P	Point	Part Number	Notes / Suggestions
Set Screws					
.375 x 16 (9.5 x 16) (	.500 A 12.7)	Allen C	up	50.2501	
.375 x 16 (9.5 x 16) (	.750 S 19.1)	Square C	up	50.2502	
.250 x 20 (6.4 x 20) (	.500 A 12.7)	Allen C	up	50.2503	

“ The Driveline Group
is a national network
of 100 staff and
twelve fully equipped
branches

”



CONTACT US

Head Office: 56 Colebard Street East Acacia Ridge, Queensland 4110, Australia

BRISBANE | BROKEN HILL | COBAR | DUBBO | MACKAY

MELBOURNE | NEWCASTLE | PERTH | SYDNEY | TOWNSVILLE



1300-DRIVELINE



DRIVELINE.COM.AU