



DRIVELINE
SERVICES AUSTRALIA
THE UNDERBODY & POWER TRANSMISSION SPECIALISTS

TUBES CATALOGUE



branches
BRISBANE
BROKEN HILL
COBAR
DUBBO
MACKAY
MELBOURNE
NEWCASTLE
PERTH
SYDNEY
TOWNSVILLE

DRIVESHAFT TUBE - IMPERIAL

Outside Diameter	Wall Diameter	Part Number	Available Lengths	Notes / Suggestions
1.250 (31.8)	.095 (2.41)	1.25X.095	100mm, 2.5m	Maximum length 9 ft
1.250 (31.8)	.120 (3.05)	1.25X.120	100mm, 2.5m	Maximum length 9 ft
1.250 (31.8)	.188 (4.78)	1.25X.188	100mm, 2.5m	Maximum length 9 ft
1.625 (41.3)	.065 (1.65)	70.1625	100mm	Maximum length 6 ft
1.750 (44.5)	.065 (1.65)	1.75X.065	100mm, 2.5m	Maximum length 9 ft
2.000 (50.8)	.065 (1.65)	2X.065	100mm, 2.8m, 3.1m	
2.000 (50.8)	.083 (2.11)	2X.083	100mm, 2.7m, 5.4m, 5.7m	
2.000 (50.8)	.095 (2.41)	2X.095	100mm, 2.7m, 4.5m	
2.000 (50.8)	.120 (3.05)	2X.120	100mm, 2.7m, 5.7m	
2.250 (57.2)	.120 (3.05)	70.2250	100mm	Maximum length 6 ft
2.250 (57.2)	.095 (2.41)	2.25X.095	100mm	
2.250 (57.2)	.120 (3.04)	2.25X.120	100mm	
2.500 (63.5)	.065 (1.65)	2.5X.065	100mm, 2.7m, 3.0m, 5.7m	
2.500 (63.5)	.083 (2.11)	2.5X.083	100mm, 2.7m, 4.6m, 5.7m	
2.500 (63.5)	.095 (2.41)	2.5X.095	100mm, 2.7m, 4.4m	
2.500 (63.5)	.095 (2.41)	2.5X.109	100mm, 2.7m	
2.500 (63.5)	.134 (3.40)	2.5X.134	100mm	
2.750 (69.9)	.065 (1.65)	2.75X.065	100mm, 2.7m, 4.0m, 5.7m	
2.750 (69.9)	.083 (2.11)	2.75X.083	100mm, 2.7m	Maximum length 9 ft
2.750 (69.9)	.109 (2.76)	2.75X.109	100mm, 2.7m	
2.750 (69.9)	.109 (2.77)	70.2750	100mm	Maximum length 6 ft

DRIVESHAFT TUBE - IMPERIAL

Outside Diameter	Wall Diameter	Part Number	Available Lengths	Notes / Suggestions
3.000 (76.2)	.065 (1.65)	3X.065	100mm, 4.3m, 4.9m, 5.7m	
3.000 (76.2)	.083 (2.11)	3X.083	100mm, 2.7m, 4.0m, 5.7m	
3.000 (76.2)	.095 (2.41)	3X.095	100mm, 2.7m, 4.5m, 5.7m	
3.000 (76.2)	.134 (3.40)	3X.134	100mm, 2.7m	
3.250 (82.6)	.065 (1.65)	3.25X.065	100mm, 2.7m, 4.0m, 5.7m	
3.500 (88.9)	.065 (1.65)	3.5X.065	100mm, 2.7m, 4.5m, 5.0m	
3.500 (88.9)	.083 (2.11)	3.5X.083	100mm, 2.7m, 4.9m, 5.7m	
3.500 (88.9)	.095 (2.41)	3.5X.095	100mm, 2.6m, 4.6m, 5.7m	
3.500 (88.9)	.134 (3.40)	3.5X.134	100mm, 2.7m, 4.2m, 4.7m	
4.000 (101.6)	.083 (2.11)	4X.083	100mm, 2.7m, 5.7m	
4.000 (101.6)	.134 (3.40)	4X.134	100mm, 2.7m, 4.0m, 5.7m	Use 4.09 x .180
4.090 (103.9)	.180 (4.57)	4.09X.180	100mm, 3.5m, 4.0m, 5.7m	
4.500 (114.3)	.095 (2.41)	4.5X.095	100mm, 2.7m	
4.500 (114.3)	.134 (3.40)	4.5X.134	100mm, 2.7m, 5.7m	Use 4.59 x .180
4.500 (114.3)	.259 (6.58)	4.5X.259	100mm, 2.7m, 4.1m, 4.2m	
4.590 (116.6)	.180 (4.57)	4.59X.180	100mm, 4.1m, 4.3m 4.7m	

DRIVESHAFT TUBE - IMPERIAL

Outside Diameter	Wall Diameter	Part Number	Available Lengths	Notes / Suggestions
5.000 (127.0)	.250 (6.4)	5X.250	100mm, 2.7m	
5.000 (127.0)	.375 (9.53)	5X.375	100mm, 2.7m	
6.500 (165.1)	.375 (9.53)	6.5X.375	100mm, 2.7m	
6.500 (165.1)	.500 (12.7)	6.5X.500	100mm, 2.7m	

DRIVESHAFT TUBE - ALUMINUM

Outside Diameter	Wall Diameter	Part Number	Available Lengths	Notes / Suggestions
3.000.125 (88.9)	.125 (3.18)	AL3.0X.125	100mm	
3.500.125 (88.9)	.125 (3.18)	AL3.5X.125	100mm	
3.500.240 (88.9)	.240 (6.10)	AL3.5X.240	100mm	
3.500.125 (88.9)	.240 (6.10)	AL4.0X.125	100mm	

DRIVESHAFT TUBE - IMPERIAL**DRIVESHAFT TUBE - CHROME MOLY**

Outside Diameter	Wall Diameter	Part Number	Available Lengths	Notes / Suggestions
2.000.083 (50.8)	.083 (2.11)	CM2.0X.083	100mm	
2.500.095 (63.5)	.095 (2.41)	CM2.5X.095	100mm	
3.000.083 (76.2)	.083 (2.11)	CM3X.083	100mm	

DRIVESHAFT TUBE - METRIC

Outside Dia (mm)	Wall Dia (mm)	Part Number	Available Lengths	Notes / Suggestions
50	3.3	50X3.3	100mm	
52	4.0	52X4	100mm	
60	4.0	60X4	100mm	
70	2.0	70X2	100mm	
70	3.0	70X3	100mm	
70	4.0	70X4	100mm	
80	4.0	80X4	100mm	
80	3.5	80X3.5	100mm	
85	5.0	85X5	100mm	
90	4.0	90X4	100mm	
90	5.0	90X5	100mm	
90	5.5	90X5.5	100mm	
100	5.0	100X5	100mm,	
100	6.0	100X6	100mm, 4.3m	
110	6.0	110X6	100mm	
112	7.0	112X7	100mm	
115	6.0	115X6	100mm	
120	4.0	120X4	100mm	
120	6.0	120X6	100mm	
130	5.0	130X5	100mm	
130	6.0	130X6	100mm	
140	5.0	140X5	100mm	
140	10.0	140X10	100mm	
143	7.5	143X7.5	100mm	
145	7.5	145X7.5	100mm	
184	9.5	184X9.5	100mm	

TUBE COLLARS

Outside Dia (A)	Tube Pilot (B)	Inside Dia (C)	Length (D)	Size Range		Part No.	Notes / Suggestions
				Min	Max		
1.25 (31.8)	1.02 (25.9)	.875 (22.1)	1.15 (29.2)	0.875 BAR (22.2)	1.25 x .120 (31.8 x 3.05)	5332	
1.75 (44.4)	1.63 (41.4)	.875 (22.1)	1.15 (29.2)	0.875 BAR (22.2)	1.75 x .065 (44.5 x 1.65)	5344	
2.98 (75.7)	2.87 (73.0)	1.77 (44.9)	1.08 (27.5)	2.0 x .120 (50.8 x 3.05)	3.0 x .065 (76.2 x 1.65)	5357	
(70.0)	(65.0)	(52.2)	(28.0)			5367	70mm x 3mm
2.50 (63.5)	2.310 (58.67)	1.834 (46.58)	.691 (17.55)	2.0 x .083 (50.8 x 2.11)	2.5 x .095 (63.5 x 2.41)	5355	
3.00 (76.2)	2.870 (72.90)	2.310 (58.67)	1.085 (27.56)	2.5 x .095 (63.5 x 2.41)	3.0 x .065 (76.2 x 1.65)	5361	
3.50 (88.9)	3.370 (85.60)	2.310 (58.67)	1.085 (27.56)	2.5 x .095 (63.5 x 2.41)	3.0 x .065 (76.2 x 1.65)	5362	
3.50 (88.9)	3.370 (85.60)	2.732 (69.39)	1.085 (27.56)	3.0 x .134 (76.2 x 3.40)	3.5 x .065 (88.9 x 1.65)	5363	
4.00 (101.6)	3.834 (85.60)	2.732 (69.39)	1.085 (27.56)	3.0 x .134 (76.2 x 3.40)	4.0 x .083 (101.6 x 2.11)	5364	
				3.5 x .156	4.0 x .083 (101.6 x 2.11)	5365	
				3.0 x .095 (76.2 x 2.41)	3.5 x .083 (88.9 x 2.11)	5368	
						5370	
						5371	
						5372	
				3.5 x .083 (x 2.11)	4.0 x .083 (101.6 x 2.11)	5373	
						5375	
						5376	