


SPICER CATALOGUE

SPICER[®]




branches

BRISBANE
BROKEN HILL
DUBBO
MACKAY
MELBOURNE
NEWCASTLE
PERTH
SYDNEY
TOWNSVILLE



General Dimension Data



Dimensional Data

Spicer

Uni Cap Ø (C)	Uni Width (W2)	Uni Width Type	Cap Qty	Cap Type	Fig	Part #	Lube	Notes
								SPICER
19.05	52.00	W2						0500
23.80	38.10	W1	42		11	5.170X		1000
23.80	61.20	W2	41		22	K5LGB80R		1140
26.99	61.93	W2	41		22	5.443X		1210
26.99	74.61	W2	41		22	K5L4R		1300
26.99	81.76	W2	41		22	K5.13XR		1310
26.99	92.08	W2	41		22	RUJ3002		1330
30.16	92.08	W2	41		22	5.178X		1350
30.16	92.08	W2	412			5.627X	NON	1350
30.16	106.35	W2	41		22	K5GB10R		1410
34.93	94.03	W1						1555
34.93	106.38	W2	41		22	5.188X		1480
34.93	126.20	W2	41		22	5.155X		1550
39.70	115.90	W2	41		22	K5GB22R		1510
39.70	115.90	W2	45		32	K5GB15R		1500
39.70	115.90	W2	41		22	K5GB22R		1630
41.28	142.00	W2	41		22	5.165X		1650
47.63	134.94	W2	45		32	5.279X		1610
47.63	134.94	W2						1610HR
49.21	154.78	W2	45		32	5.280X		1710
49.21	177.80	W2	45		32	5.407X		1760
49.21	191.69	W2	45		32	5.281X		1810
55.55	205.59	W2	45		32	5.308X		1880
55.55	205.59	W2	41		22	5.185X		1850
59.10	167.49	W2	45		32	5.124X		1800
71.43	223.04	W2	48		32	5.54X		1900





SPL

Uni Cap Ø (C)	Uni Width (W2)	Uni Width Type	Cap Qty	Cap Type	Fig	Part #	Lube	Notes
41.28	126.00	W2	41		22	SPL90X		SPL90
49.20	138.71	W2	41		21	SPL140X		SPL140
55.00	164.00	W2	41		21	SPL170X		SPL170
60.00	163.00	W2	41		21	SPL250X		SPL250

RPL

Uni Cap Ø (C)	Uni Width (W2)	Uni Width Type	Cap Qty	Cap Type	Fig	Part #	Lube	Notes
---------------	----------------	----------------	---------	----------	-----	--------	------	-------

General Dimension Data




LUBRICATION POINTS

Dimensional Data

52.35	174.75	W2	218	CP20RPLS	NON	RPL20
52.35	208.28	W2	218	CP25RPLS	NON	RPL25

Bored & Keyed Companion Flange



Bored & Keyed Companion

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Bore (S)	Key (X)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
12.70		87.88	57.15	69.85	7.92		44.96	54.10	53.98	38.10	50.80	1.1.PB	Solid Boss
0.500		3.460	2.250	2.750	0.312	4	1.770	2.130	2.125	1.500	2.000		

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Bore (S)	Key (X)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
19.05		98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.PB	
0.750		3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
22.23	4.75	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.623	
0.875	0.187	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
25.40	6.35	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.283	
1.000	0.250	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
28.57	7.95	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.303	
1.125	0.313	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
28.58	6.35	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.293	
1.125	0.250	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
31.75	7.95	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.333	
1.250	0.313	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		
34.93	7.95	98.43	60.33	79.38	9.52	4	51.05	60.70	52.96	51.05	64.77	2.1.903	
1.375	0.313	3.875	2.375	3.125	0.375	4	2.010	2.390	2.085	2.010	2.550		




Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Bore (S)	Key (X)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
19.05		115.78	69.85	95.25	11.12	4	61.20	72.90	64.77	63.00	73.02	3.1.PB	Pilot Bore Only
0.750		4.558	2.750	3.750	0.438	4	2.409	2.870	2.550	2.480	2.875		
31.75	7.95	115.78	69.85	95.25	11.12	4	61.20	72.90	64.77	63.00	73.02	3.1.163	
1.250	0.313	4.558	2.750	3.750	0.438	4	2.409	2.870	2.550	2.480	2.875		
38.10	9.52	115.78	69.85	95.25	11.12	4	61.20	72.90	64.77	63.00	73.02	3.1.333	
1.500	0.375	4.558	2.750	3.750	0.438	4	2.409	2.870	2.550	2.480	2.875		

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Bore (S)	Key (X)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
31.75			95.25	120.60	12.70	4	77.50	92.40	63.50	60.96	95.25	4.1.PB	Pilot Bore Only
1.250			3.750	4.750	0.500	4	3.051	3.638	2.500	2.400	3.750		

Splined Companion Flange



Splined Companion Flange


Spicer Series: 1350 Suits: 5.178X 30.16 x 92.08

Spline (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
				3.75									
			2.750		0.438	4	2.409	2.870	2.325	1.772		3.1.032	Clamp Lock Type
1.250	14		69.85	95.25	11.20	4	61.20	72.90	59.05			3.1.06	Clamp Lock Type
25.40 1.000	15	116.00 4.567	69.85 2.750	95.25 3.750	11.12 0.438	4	61.20 2.409	72.90 2.870	59.05 2.325	45.00 1.772		3.1.104	Clamp Lock Type
34.93 1.375	21	116.00 4.567	69.85 2.750	95.25 3.750	11.12 0.438	4	61.20 2.409	72.90 2.870	59.05 2.325	45.00 1.772		3.1.07	Clamp Lock Type
34.93 1.375	6	116.00 4.567	69.85 2.750	95.25 3.750	11.12 0.438	4	61.20 2.409	72.90 2.870	59.05 2.325	45.00 1.772		3.1.33	Clamp Lock Type
36.00 1.417	8	116.00 4.567	69.85 2.750	95.25 3.750	11.12 0.438	4	61.20 2.409	72.90 2.870	59.05 2.325	45.00 1.772		3.1.115	Clamp Lock Type
44.45 1.750	13	116.00 4.567	69.85 2.750	95.25 3.750	11.12 0.438	4	61.20 2.409	72.90 2.870	59.05 2.325	45.00 1.772		3.1.13	Clamp Lock Type

Spicer Series: 1550 Suits: 5.155X 34.93 x 126.20

Spline (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
40.64 1.600	14		95.20							49.30	53.98	4.1.0064	Takes Seal 235751
48.82 1.922	14		95.20						85.00	55.40	60.00	4.1.0051	Takes Seal 230954

Automotive Slip-Yoke



Automotive Slip-Yoke

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
28.27	25	149.00	120.00	34.90	1.3.8431X	Early Ford Transit
1.113		5.875	4.725	1.375		

Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
25.52	24	152.40	125.00	34.90	2.3.1224X	Nissan (22 + 2 Blank Splines)
1.005		6.000	4.925	1.375		
28.27	25	145.00	107.00	38.10	2.3.3318	Mazda
1.113		5.710	4.212	1.500		
29.87	27	153.00	103.00	38.10	2.3.1188	Holden
1.176		6.025	4.055	1.500		


Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
25.35	22	152.00	117.50	34.90	2.3.3328	Mazda
0.998		5.984	4.625	1.375		
25.52	24	153.00	117.50	34.90	2.3.13461X	Nissan - Does not suit VK Commodore 5Spd
1.005		6.025	4.625	1.375		
26.13	26	154.00	116.00	37.90	2.3.13891X	Nissan VL. Can use 21R.3.3140
1.118		6.060	4.560	1.490		
27.96	21	153.00	107.00	38.10	2.3.9701X	Toyota
1.100		6.025	4.225	1.500		
28.27	25	152.00	117.50	38.10	2.3.3318.1	Ford/Mazda
1.112		5.984	4.625	1.500		
28.27	25	166.00	142.00	34.90	2.3.8431X	Ford Transit NLA - for reference only
1.112		6.535	5.590	1.375		
30.20	27	139.00	115.00	38.10	2.3.6081X	Holden
1.187		5.472	4.525	1.500		
30.98	28	165.10	145.00	38.10	2.3.8251X	Ford C4 - Top Loader , Some Early Commodore T5's
1.218		6.500	5.710	1.500		
32.61	30	157.00	118.00	41.90	2.3.13311X	VL Turbo / Nissan
1.284		6.181	4.646	1.650		
33.32	30	204.70	168.00	42.70	2.3.3575X	Chrysler (Torqueflight)
1.312		8.059	6.615	1.680		
35.10	31	177.80	120.00	42.75	2.3.15631X	C6
1.382		7.000	4.725	1.683		
35.48	32	180.00	137.00	47.90	2.3.9131X	Turbo 400
1.397		7.086	5.393	1.885		

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
1.382	31	5.980	4.720	1.89	2.3.6041X	C6, FMX

Automotive Slip-Yoke



Automotive Slip-Yoke

30.98 1.220	28	150.00 5.906	128.50 5.059	38.10 1.500	2.3.5981X	Ford C4 - Top Loader, Some Early Commodore T5's
35.30	31	178.00	155.00	47.90	2.3.10201X	T/Case New Process Borg Warner F-Truck/Bronco


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
28.27 1.175	25	155.00 6.169	120.00 4.708	37.95 1.500	3.3.3318	Mazda Turbo
29.84 1.175	27	176.00 6.929	145.00 5.708	38.10 1.500	3.3.4281X	T350/700 For P/glide Shorten to 100mm Sleeve Length
30.48 1.200	23	156.70 6.169	112.00 4.409	39.95 1.572	3.3.3558	Toyota Supra Turbo KUN150 2WD Lexus Iload
30.90 1.216	28	165.10 6.500	145.00 5.710	38.10 1.500	3.3.3158	C4, C10, TOP LOADER, SOME EARLY COMMODORE T5's
32.61 1.284	30	163.70 6.445	126.00 4.961	41.95 1.652	3.3.3738	Nissan / VL Turbo
34.93 1.375	31	163.50 6.437	133.00 5.236	42.70 1.681	3.3.2491X	Ford C6 - FMX
35.00 1.378	32	154.94 6.100		43.98 1.731	3.3.7091X	Nissan 350 & 370Z's Counter Bored
35.48 1.397	32	201.00 7.913	150.00 5.905	47.90 1.886	3.3.1538	Turbo 400 (counterbored)
35.48 1.397	32	201.00 7.913	150.00 5.905	47.90 1.886	3.3.2951X	GM - USA

Spicer Series: 1350 Performance Suits:5.627X 30.16 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L1)	Hub (O)	Part #	Application
30.20 1.188	27	147.60 5.811	110.30 4.342	38.18 1.503	3.3.39005	PERFORMANCE Powerglide / Turbo 350
30.20 1.188	27	147.60 5.811	110.30 4.342	38.10 1.500	3.3.39035	PERFORMANCE Powerglide Hardened for Roller Bearing Trans.
30.40 1.196	28	156.00 6.141	130.00 5.118	38.10 1.500	3.3.39022	PERFORMANCE Ford C4/Toploader, Some Early Commodore T5's
33.30 1.311	30	160.00 6.300	138.00 5.433	42.80 1.685	3.3.39002	PERFORMANCE Liberty/Mopar/Doug Nash
35.48 1.397	32	139.70 5.500	115.00 4.528	47.95 1.888	3.3.32431	Suit T400 with Roller Brg Extension Housing
35.48 1.397	32	139.70 5.500	115.00 4.528	47.90 1.886	3.3.39004	PERFORMANCE Turbo 400 - Super T10
35.48 1.397	32	201.70 7.940	127.00 6.040	48.00 1.890	3.3.39004L	T400 Requires Counter Boring
35.48 1.397	31	160.00 6.300	138.00 5.433	42.80 1.685	3.3.39020	PERFORMANCE Ford C6

Flange Yoke



Flange Yoke

Spicer Series: 0500 Suits: 19.05 x 52.00

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
65.00	35.00	52.00	6.00	4	37.00	37.00	40.00	05.2.6546	2	DIN Spec

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
	34.00	57.00	8.00	4	25.50	50.00		1.2.062	1	MDP JAPANESE
	1.339	2.244	0.315		1.004	1.969				
87.88	57.15	69.85	8.13	4	44.96	53.34	30.23	1.2.39	1	Std 1140 bolt pattern
3.460	2.250	2.750	0.312		1.770	2.100	1.188			

Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
104.00	46.00	85.00	10.00	4	60.00	60.00	46.00	2.2.072	1	Toyota Tarago
4.094	1.811	3.346	0.394		2.362	2.362	1.811			
	46.00	78.00	8.00	4	55.00	55.00	38.10	2.2.2323	1	Toyota
	1.811	3.071	0.315		2.165	2.165	1.500			
128.00	45.00	104.60	10.00	4	74.00	74.00	42.00	2.2.452.1	1	Mazda
5.039	1.772	4.118	0.394		2.913	2.913	1.654			
	45.00	89.10	10.00	4	63.00	63.00	45.90	2.2.686.1	1	Mazda
	1.772	3.508	0.394		2.480	2.480	1.807			
88.00	57.20	69.90	8.00	4	44.90	54.00	37.60	2.2.899	1	Nissan / 1140 bolt pattern
3.460	2.252	2.750	0.312		1.770	2.130	1.480			

Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61


OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
120.00	40.00	96.00	12.20	4	48.00	84.00	45.00	K2.2.022	1	Ford Transit
4.724	1.575	3.780	0.480		1.889	3.310	1.771			
109.00	56.00	89.90	10.40	4	60.00	67.00	40.60	K2.2.1409	1	Ford Transit - Early
4.290	2.204	3.539	0.409		2.360	2.630	1.590			
97.00	60.30	79.40	9.53	4	51.30	60.70	35.30	K2.2.239	1	Std 1310 bolt pattern
3.818	2.375	3.125	0.375		2.020	2.390	1.390			

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
100.00	57.00						53.00	2.2.10000	2	100mm Blank Face Round
3.937	2.244						2.087			
100.00	57.00	84.00	8.00	6			50.00	2.2.10068	2	DIN spec. 6x Equi-spaced holes
3.937	2.244	3.307	0.315							
120.00	50.00						57.00	2.2.120000	2	Blank face - Nissan Round
4.725	1.969						2.244			
120.00	57.00	101.50	10.20	4	71.80	71.80	58.00	2.2.120410	2	Mercedes Sprinter
4.725	2.244	3.996	0.402		2.827	2.827	2.283			
125.00	50.00						54.00	2.2.12500	2	BLANK FACE
4.921	1.969						2.126			

Flange Yoke

Flange Yoke




OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
92.07	50.80	73.20	9.50	4	47.80	56.10	38.10	2.2.349	1	Detroit - 67R
3.625	2.000	2.875	0.375		1.881	2.208	1.500			
90.00	47.00						50.00	2.2.900000	2	90mm Blank Face Round
3.543	1.850						1.969			
90.00	47.00	74.50	8.00	4	52.80	52.80	50.00	2.2.9048	2	DIN spec
3.543	1.850	2.933	0.315		2.079	2.079	1.969			
116.00	50.80	88.70	12.70	4	62.80	62.80	41.80	2.2.939	1	Ford Performance option AL3.2.949
4.566	2.000	3.500	0.500		2.472	2.472	1.650			
120.00	40.00	96.00	12.20	4	48.00	83.10	43.00	2.2.060	1	Ford Transit - Front flange (Rear Flange 2.2.061)
4.724	1.575	3.779	0.480		1.889	3.271	1.692			
120.00	56.00	96.00	12.20	4	48.00	83.20	43.00	2.2.061	1	Ford Transit - Rear flange (Front Flange 2.2.060)
4.725	2.204	3.780	0.480		1.889	3.275	1.693			
42.00	69.00	8.00		4	35.00	60.00	50.00	2.2.062	1	Use in place of MDP
1.650	2.875	0.312			1.377	2.360	1.970			
65.00	95.00	12.00		4	67.00	67.00	46.00	2.2.1169	1	NISSAN MQ PATROL
2.559	3.740	0.472			2.638	2.638	1.811			
100.00	50.00	81.00	10.00	4	57.30	57.30	44.70	2.2.1309	1	Nissan Navara / 300ZX
3.930	1.969	3.188	0.394		2.255	2.255	1.759			
97.00	60.30	79.40	9.50	4	51.00	60.70	35.30	2.2.329	1	Std 1310 bolt pattern
3.820	2.375	3.125	0.375		2.010	2.390	1.390			
128.00	45.00	104.60	10.00	4	74.00	74.00	52.00	2.2.452	1	Mazda
5.039	1.772	4.118	0.394		2.913	2.913	2.047			
97.00	60.30	79.40	9.50	4	51.00	60.70	41.00	2.2.459	1	1310 30° Wide Angle
2.825	2.375	3.125	0.375		2.010	2.390	1.615			
116.00	69.90	95.30	11.10	4	61.20	72.90	35.30	2.2.479	1	1350 bolt pattern
4.566	2.750	3.750	0.437		2.409	2.870	1.389			
106.00	46.00	85.00	10.20	4	56.00	64.00	41.20	2.2.799	1	Hilux (Replaces: TH.2.A1299)
4.173	1.811	3.346	0.402		2.205	2.520	1.622			
106.00	46.00	85.00	10.20	4	60.00	60.00	41.20	2.2.799.1	1	Hilux (Replaces: TH.2.040)
4.173	1.811	3.346	0.402		2.362	2.362	1.622			
115.00	46.00	93.30	11.20	4	66.00	66.00	40.00	2.2.799.4	1	Toyota
4.528	1.811	3.673	0.441		2.598	2.598	1.575			
105.00	64.90	85.00	10.00	4	50.00	69.00	42.00	2.2.8901	1	Isuzu Rodeo / Jackaroo / Ssangyong
4.133	2.555	3.346	0.394		1.975	2.710	1.653			
88.00	57.20	69.90	8.00	4	44.90	53.50	41.20	2.2.899.1	1	1140 bolt pattern
3.464	2.252	2.750	0.312		1.780	2.090	1.620			

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
4.469	2.000	3.500	0.484		2.472	2.472	1.625	2.2.949	1	Ford Performance Option AL3.2.949

Flange Yoke



Flange Yoke


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
100.00 3.937	57.00 2.244						55.00 2.165	3.2.10000.1350	2	Blank Face Round
100.00 3.937	57.00 2.244	84.00 3.307	8.00 0.315	6			65.00 2.165	3.2.10068.1350	2	DIN FACE
120.00 4.725	75.00 2.953						56.00 2.205	3.2.120000.1350	2	Blank Face Round
120.00 4.725	57.00 2.244	101.50 3.996	10.20 0.402	4	71.80 2.827	71.80 2.827	66.00 2.598	3.2.120410	1	Mercedes Sprinter
130.00 5.120	50.80 2.000	107.95 4.250	12.70 0.500	4	76.20 3.000	76.20 3.000	45.00 1.771	3.2.1579A	1	Ford Transit
130.00 5.118	68.00 2.675	107.90 4.250	12.00 0.440	4	76.20 3.000	76.20 3.000	41.00 1.614	3.2.1699	1	Ford F Series M12 Threaded Holes
5.250	2.560	4.250	0.500				1.618	3.2.1879	1	Ford Ranger PX II
116.00 4.560	69.90 2.750	95.25 3.750	11.20 0.440	4	61.20 2.410	72.90 2.870	39.60 2.560	3.2.119	1	Std 1350 bolt pattern
138.00 5.433		110.00 4.331	12.50 0.492	3			75.00 2.953	AL3.2.RC110		Ford / GM Billet 6061 T6 Aluminium Replaces RC.JUR.006
146.00 5.750	75.00 2.953	120.60 4.750	12.70 0.500		85.00 3.346	85.00 3.346	44.50 1.750	AL3.2.1859	1	Mustang 2011-2015 Trans Output. Camaro Diff 2010-. Forged 6061-T6 Aluminium.
	50.80	88.90	13.10	4	62.80	62.80	39.50	AL3.2.949		Mustang Falcon 6061-T6 Aluminium
108.00	108.00	94.00	10.80				87.50	AL3.2.10894		Replaces 108mm CV 7075-T6 Aluminium

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
100.00 3.937	57.00 2.244	84.00 3.307	8.00 0.315	6			65.00 2.560	3.2.10068	2	100mm OD, DIN spec.
120.00 4.724	75.00 2.953						55.60 2.189	3.2.120000.1410	2	120mm OD, Blank face-Round
120.00 4.725	75.00 2.953	101.50 3.996	10.00 0.394	8			55.60 2.189	3.2.120810.1410	2	120mm OD, DIN spec.
150.00 5.906	90.00 3.543						71.80 2.827	3.2.150000.1410	2	Blank Face Round
100.00 3.937	57.00 2.244						55.00 2.165	3.2.10000.1410	2	Blank Face Round Male Spigot
116.00 4.566	69.90 2.752	95.25 3.750	11.20 0.441	4	61.20 2.410	72.90 2.870	42.90 1.690	3.2.159	1	Std 1410 bolt pattern
140.00 5.512	70.00 2.756	115.00 4.528	11.80 0.465	4	78.40 3.087	84.10 3.311	42.00 1.654	3.2.3100	1	Hino

Flange Yoke



Flange Yoke

Type 1	Type 2	Type 3	Type 4
120.00 4.725	70.00 2.756	100.00 3.937	12.00 0.472
120.00 4.724	80.00 3.150	100.00 3.937	10.20 0.402
146.00 5.748	95.30 3.752	120.70 4.750	12.70 0.500

3.2.352.1410

1 Mitsubishi

3.2.3900

1 Isuzu

3.2.429

1 1480 bolt pattern (30°)


Spicer Series: 1480 Suits: 5.188X 34.93 x 106.38

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
120.00 4.725	75.00 2.953						72.00 2.835	3.2.120000.1480	2	Blank Face Round
120.00 4.724	75.00 2.953						60.00 2.362	3.2.120000.1480	2	Blank
120.00 4.725	75.00 2.953	101.50 3.996	10.00 0.394	8			60.00 2.362	3.2.120810.1480	2	DIN spec.
150.00 5.910	90.00 3.543						73.00 2.875	3.2.150000.1480	2	Blank Face Round
150.00 5.906	90.00 3.543	130.00 5.118	12.00 0.472	8			73.00 2.874	3.2.150812	2	DIN FACE
120.00 4.724		100.00 3.937	11.20 0.441	4	57.30 2.256	81.10 3.193	63.50 2.500	687.30.2.120411	4	Cross Tooth KV type
135.00 5.315	80.00 3.150	109.10 4.295	12.00 0.472	4	55.00 2.165	95.20 3.748	69.00 2.717	3.2.013	1	Isuzu
120.00 4.725	80.00 3.150	100.00 3.937	12.20 0.480	4	58.80 2.315	80.90 3.185	65.00 2.559	3.2.014	1	Isuzu
116.00 4.566	69.85 2.750	95.25 3.750	11.20 0.438	4	61.20 2.410	72.90 2.870	60.50 2.381	3.2.104	1	Std 1410 Bolt Pattern
120.00 4.724	70.00 2.756	100.00 3.937	12.20 0.480	4	64.30 2.531	76.60 3.016	65.00 2.559	3.2.352.1480	1	Mitsubishi
146.00 5.750	95.25 3.750	120.65 4.750	12.70 0.500	4	77.60 3.060	92.40 3.640	50.80 2.000	3.2.479	1	Std 1480 bolt pattern
174.60 6.874	168.30 6.626	155.60 6.126	9.80 0.386	8			50.00 1.969	3.2.499	3	1480 JOINT TO 1610 FACE

Spicer Series: 1550 Suits: 5.155X 34.93 x 126.20

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
120.00 4.724	75.00 2.953	101.50 3.996	10.00 0.394	8			95.00 3.740	4.2.120810	2	DIN FACE
150.00 5.906	90.00 3.543	130.00 5.118	12.00 0.472	8			80.00 3.150	4.2.150812	2	DIN spec.
146.00 5.750	95.25 3.750	120.65 4.750	12.70 0.500	4	77.50 3.060	92.40 3.640	50.80 2.000	4.2.669	1	Std 1550 bolt pattern
146.00 5.750	95.25 3.750	120.65 4.750	12.70 0.500	4	77.50 3.050	92.40 3.640	38.10 1.500	4.2.679	1	Close couple (8°)

Flange Yoke



Flange Yoke

175.00	168.30	155.60	9.50	8	0.00	0.00	50.80	4.2.689	3	1610 bolt pattern
6.890	6.626	6.126	0.374		0.000	0.000	2.000			
145.00	80.00	125.00	13.20	4	80.30	95.80	60.00	4.2.847	1	Hino - Special Order Only
5.709	3.150	4.921	0.520		3.161	3.772	2.362			

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
120.00	75.00	101.60	10.00	8			72.90	K4.2.120810	2	DIN Spec
4.725	2.953	4.000	0.394				2.870			
130.00	82.50	112.00	10.00	8			67.00	K4.2.130810	2	Mercedes
5.118	3.248	4.409	0.394				2.638			
150.00	90.00						72.00	K4.2.150000	2	Blank Face Round
5.906	3.531						2.835			
150.00	90.00	130.00	12.10	8			90.00	K4.2.150812	2	DIN 150
5.906	3.543	5.118	0.475				3.543			
168.30	155.60		9.50	4	77.60	92.40	69.85	4.2.309	1	1500 Series
6.625	6.125		0.374		3.055	3.640	2.750			
146.00	95.25	120.65	12.70	4	77.60	92.40	40.00	K4.2.001	1	Short Coupled
5.750	3.750	4.750	0.500		3.060	3.640	1.575			
175.00	168.28	155.58	9.52	8			92.10	K4.2.1610	3	1610 Face
6.889	6.625	6.125	0.375				3.625			
146.00	95.25	120.65	12.70	4	77.60	92.40	63.50	K4.2.GB239	1	Standard
5.750	3.750	4.750	0.500		3.060	3.640	2.500			


Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
150.00	90.00	130.00	12.10	8			85.00	5.2.150812	2	DIN spec
5.906	3.543	5.118	0.476				3.346			
203.00	80.00						97.00	5.2.203000		1610 Blank
171.00	90.00	140.00	14.00	4	75.20	118.10	70.00	5.2.244	1	Isuzu
6.732	3.543	5.512	0.551		2.961	4.650	2.756			
175.00	168.28	155.58	9.52	8			69.85	5.2.279	3	Std 1610 bolt pattern
6.889	6.625	6.125	0.375				2.750			
175.00	168.28	155.58	9.52	8			47.63	5.2.379	3	Close couple, 1610 bolt pattern
6.889	6.625	6.125	0.375				1.875			
203.20	196.90	184.15	9.52	8			69.85	5.2.629	3	1710 bolt pattern
8.000	7.752	7.250	0.375				2.750			

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
150.00	90.00	130.00	12.00	8			93.00	6.2.150812	2	DIN FACE
5.906	3.543	5.118	0.472				3.661			
180.00	110.00						90.00	6.2.1800000	2	Blank Face Round
7.087	4.331						3.543			

Flange Yoke



Flange Yoke

180.00	110.00	155.60	16.20	10		100.00		6.2.1801016	2	DIN spec
7.087	4.331	6.126	0.638			3.937				
180.00	110.00	155.50	12.00	8				6.2.180812		DIN180
180.00	110.00	155.51	14.20	8		85.00		6.2.180814	2	DIN spec
7.087	4.331	6.122	0.559			3.346				
180.00	110.00	155.60	14.20	8		100.00		6.2.180814.1	2	.312" (5/16") BSF Bolts included
7.087	4.331	6.126	0.559			3.937				
203.00	100.00					96.00		6.2.203000	2	BLANK FACE - SUITABLE FOR ISUZU, MITSUBISHI & HINO
7.992	3.937					3.780				
150.00		130.00	13.20	4	86.00	122.90	81.00	6.2.15	4	KV Cross tooth
5.906		5.118	0.520		3.386	4.839	3.189			
203.20	196.85	184.15	9.52	8			76.20	6.2.749	3	Std 1710 bolt pattern
8.000	7.750	7.250	0.375				3.000			
203.20	196.85	184.15	9.52	8			50.80	6.2.769	3	Close couple 1710 bolt pattern
8.000	7.750	7.250	0.375				2.000			
175.00	168.28	155.58	9.52	8			98.00	K56.2.GB99	3	1610 bolt pattern
6.889	6.625	6.125	0.375				3.858			

Spicer Series: 1810 Suits: 5.281X 49.21 x 191.69

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
180.00	110.00	155.58	16.00	10			100.00	6.5.2.1801016	2	DIN Spec.
7.087	4.331	6.125	0.630				3.937			
180.00	110.00	155.00	14.20	8			92.00	6.5.2.180814	2	DIN Spec
7.087	4.331	6.120	0.559				3.622			
240.00	160.00						90.00	6.5.2.2400000	2	Blank Face Round
9.449	6.299						3.543			
180.00		150.00	15.20	4	86.00	122.90	88.00	6.5.2.15	4	KV Cross tooth
7.087		5.906	0.598		3.386	4.839	3.465			
203.20	196.85	184.15	11.11	12			85.73	6.5.2.329	3	Std 1810 bolt pattern
8.000	7.750	7.250	0.438				3.375			


SPL Series: SPL170 Suits: SPL170X 55.00 x 164.00

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
203.20	196.85	184.15	11.11	12			81.50	170.2.19	3	SPL170 with 1810 face
8.000	7.750	7.250	0.438				3.209			

SPL Series: SPL250 Suits: SPL250X 60.00 x 163.00

OD (N)	Spigot (K)	PCD (D)	Hole (D1)	QTY (D1)	(D2)	(D3)	FC (L)	Part #	Type	Notes
180.00		150.00	14.20	4	86.00	122.90	91.00	250.2.15	4	SPL250 180KV FACE
7.087		5.906	0.551		3.386	4.839	3.583			
203.20	196.80	184.20	11.20	12			89.50	250.2.19	3	1810 FACE
8.000	7.748	7.252	0.441				3.524			

Slip Yoke



Slip Yoke

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
26.92	16	110.00	88.10	17	K1.3.A360	K1.42.GB1901 & K1.42.GB1921
1.060		4.3303	.475			

Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
31.75	16	203.20	170.00	20	2.3.8961KX	2.40.2301
1.250		8.0006	.690			

Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
34.93	16	139.70	110.00	20	K2.3.A610	Can use 687.15 Assembly 2.40.1031 / 2.40.2701 / 2.40.1041
1.375		5.5004	.330			

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
31.75	16	166.60	129.00	30	2.3.4441KX	2.40.1771
1.250		6.5755	.070			
34.93	16	136.70	109.00	20	2.3.128KX	2.40.1031 / 2.40.2701 / 2.40.1041
1.375		5.3754	.291			
34.93	16	104.10	79.00	20	2.3.348KX	2.82.21
1.375		4.0903	.110			
34.93	16	166.00	136.00	30	2.3.3658KX	2.40.3061
1.375		6.5355	.355			
34.93	16	208.00			2.3.3738KX	CAN USE 2.3.5821KX
1.375		8.188				
34.93	16	174.80	135.00	30	2.3.5221KX	2.40.2451 / 2.40.1221 / 2.40.1711
1.375		6.8755	.314			
34.93	16	200.20	160.00	30	2.3.5821KX	2.40.3081 / 2.40.1851 / 2.40.2051
1.375		7.8756	.299			
38.10	16	166.00		20	2.3.3668KX	2.82.002
1.500		6.535				


Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
34.93	16	190.00	162.00	17	2.3.7481KX	2.40.1851 / 2.40.3081 / 2.40.2051
1.375		7.4806	.375			
34.93	16	153.00	126.00	25	2.3.7961KX	2.40.1221 / 2.40.1711 / 2.40.2451
1.375		6.0254	.960			

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
34.93	16	147.60	115.00	20	3.3.1501KX	
1.375		5.8114	.525			
38.10	16	185.70	160.00	20	3.3.488KX	3.40.1611 / 3.40.3891 / 3.40.1491
1.500		7.3116	.299			

Slip Yoke



Slip Yoke

38.10	16	147.60	115.00	20	3.3.598KX	3.40.1101 / 3.40.1471 / 3.40.3901
1.500		5.811	4.525			

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
34.93	16	133.50	103.00	20	3.3.788KX	2.40.1041
1.375		5.250	4.055			
38.10	16	165.20	135.00	20	3.3.118KX	3.40.1101 / 3.40.3901
1.500		6.500	5.312			
38.10	16	133.40	103.00	20	3.3.2041KX	3.53.1031
1.500		5.250	4.050			
38.10	16	99.10	72.00	20	3.3.468KX	3.82.81
1.500		3.900	2.830			
38.10	16	198.40	165.10	28	3.3.508KX	3.40.1611 / 3.40.3891 / 3.40.1491
1.500		7.811	6.500			
39.62	16	173.00	139.00	21	3.3.1701KX	
1.560		6.811	5.472			

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
39.60	16	173.00	136.00	21	3.3.1601KX	3.40.1571
1.560		6.811	5.353			
39.60	16	241.30	191.00	35	3.3.1641KX	3.40.1391
1.560		9.500	7.500			
39.60	16	292.10	241.30	35	3.3.1661KX	3.40.1411
1.560		11.500	9.500			
44.45	16	173.00	141.00	22	3.3.1505KX	4.40.761 / 3.82.1505
1.750		6.811	5.550			

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
44.45	16	174.80	139.00	22	4.3.1241KX	4.40.761
1.750		6.882	5.472			
44.45	16	254.00	203.20	35	4.3.1431KX	4.40.721
1.750		10.000	8.000			
63.50	16	88.90	65.00	8	4.3.1261KX	Close couple suit 4.82.191
2.500		3.500	2.560			


Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
44.45	16	168.30	135.00		K4.3.A1120	4.40.761
1.750		6.625	5.312			

Spicer Series: 1650 Suits:5.165X 41.28 x 142.00

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
50.80	16	241.30			5.3.1681KX	
2.000		9.500				

Slip Yoke



Slip Yoke

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
50.80 2.000	16	198.40 7.811	160.00 6.300	22	5.3.108KX	5.82.661 / 5.82.921
50.80 2.000	16	303.30 11.940	230.00 9.060	45	5.3.2141KX	5.40.1041 / 5.82.751.2 / 5.82.751.6
50.80 2.000	16	276.30 10.875	209.60 8.250	35	5.3.2261KX	5.40.1011
50.80 2.000	16	236.50 9.312	158.75 6.250	30	5.3.288KX	7C.40.703

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
63.50 2.500	16	323.20 12.725	239.00 9.400	45	6.3.2551KX	
63.50 2.500	16	297.00 11.690	238.00 9.375	30	6.3.2651KX	6.40.521
63.50 2.500	16	243.60 9.600	197.60 7.750	22	6.3.2671KX	6.40.541

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69



Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
76.20 3.000	16	260.40 10.250	197.00 7.750	30	6.5.3.1351KX	6.5.40.201
76.20 3.000	16	301.80 11.875	240.00 9.450	30	6.5.3.1371KX	6.5.40.191
82.55 3.250	18	136.70 5.375	99.00 3.875	12	6.5.3.1451KX	Close couple

RPL Series: RPL20 Suits:CP20RPLS 52.35 x 174.75

Spline (S)	Qty (S)	Length (L)	Length (L1)	Angle (F)	Part #	Application
2.500	16	12.050		44	20RP.3.001KX	Use with 20RP.82.1345/1520

Yoke Shaft & Barrel / Slip & Stub Assembly

Yoke Shaft & Barrel / Slip &



Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
50.80	1.65	47.70	26.92	16	125.00	72.89	1.00	K1.6.1901	K1.3.A360 & K1.42.GB1901
2.000	0.065	1.878	1.060		2.870				

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
50.80	2.10	46.80	34.93	16	198.12	72.90	1.00	2.6.2451	2.3.5221KX & 2.40.2451
2.000	0.083	1.842	1.375		7.800	2.870			
50.80	2.41	46.18	34.93	16	159.51	50.80	1.00	2.6.2701	2.3.128KX & 2.40.2701
2.000	0.095	1.818	1.375		6.280	2.000			
50.80	2.41	46.18	34.93	16	233.93	99.82	1.00	2.6.3081	2.3.5821KX & 2.40.3081
2.000	0.095	1.818	1.375		9.210	3.930			
63.50	2.10	59.50	34.93	16	203.20	72.89	1.00	2.6.1711	2.3.5221KX & 2.40.1711
2.500	0.083	2.342	1.375		8.000	2.870			
63.50	2.10	59.50	34.93	16	231.90	99.82	1.00	2.6.1851	2.3.5821KX & 2.40.1851
2.500	0.083	2.342	1.375		9.130	3.930			
63.50	2.41	58.88	38.10	18	221.48	88.90	2.00	2.6.1310	European Type
2.500	0.095	2.318	1.500		8.720	3.500			
63.50	2.41	58.88	34.93	16	163.06	50.80	1.00	2.6.2891	2.3.128KX & 2.40.2891
2.500	0.095	2.318	1.375		6.420	2.000			
76.20	1.65	73.10	34.93	16	204.98	72.90	1.00	2.6.1221	2.3.5221KX & 2.40.1221
3.000	0.065	2.878	1.375		8.070	2.870			

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08



Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
76.20	2.10	72.20	38.10	16	181.86	50.80	1.00	3.6.3502	3.3.598KX & 3.40.1101
3.000	0.083	2.842	1.500		7.160	2.000			
76.20	2.10	72.20	38.10	16	214.88	88.90	1.00	3.6.3503	3.3.488KX & 3.40.1611
3.000	0.083	2.842	1.500		8.460	3.500			
76.20	2.41	71.58	38.10	16	214.88	88.90	1.00	3.6.3501	3.3.488KX & 3.40.3891
3.000	0.095	2.818	1.500		8.460	3.500			
76.20	2.41	71.58	38.10	16	185.92	50.80	1.00	3.6.3504	3.3.598KX & 3.40.3901
3.000	0.095	2.818	1.500		7.320	2.000			

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
					229.00	82.00		3.6.1403	
3.000	0.095	2.818							
					188.00	70.00		3.6.1410.1	
3.000	0.095	2.818							
76.20	2.10	72.20	38.10	16	192.78	54.86	1.00	3.6.4102	3.3.118KX & 3.40.1101
3.000	0.083	2.842	1.500		7.590	2.160			
76.20	2.10	72.20	38.10	16	220.98	88.90	1.00	3.6.4104	3.3.508KX & 3.40.1611
3.000	0.083	2.842	1.500		8.700	3.500			

Yoke Shaft & Barrel / Slip & Stub Assembly

Yoke Shaft & Barrel / Slip &



76.20	2.41	71.58	38.10	16	189.99	64.77	1.00	3.6.4101	3.3.118KX & 3.40.3901
3.000	0.095	2.818	1.500		7.480	2.550			
76.20	2.41	71.58	38.10	16	220.98	88.90	1.00	3.6.4103	3.3.508KX & 3.40.3891
3.000	0.095	2.818	1.500		8.700	3.500			

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
88.90	2.41	84.28	44.95	16	216.91	101.60	2.00	687.30.6	Euro Style
3.500	0.095	3.318	1.770		8.540	4.000			
88.90	2.41	84.28	50.03	18	254.76	101.60	2.00	687.30.6.1	Euro Style - Can machine to suit 3" tube
3.500	0.095	3.318	1.970		10.030	4.000			

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
			44.45	16	292.00			4.6.001	
3.000	0.095	2.818	1.750						
88.90	2.41	84.28	44.45	16	200.02	59.94	2.00	4.6.1550	Euro Style
3.500	0.095	3.318	1.750		7.875	2.360			

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
84.32	2.41	79.70	54.86	20	294.89		2.00	K4.6.001	Euro Style
3.320	0.095	3.138	2.160		11.610				
88.90	3.40	82.30	50.80	16	294.89		1.00	K4.6.002	Steel Spline
3.500	0.134	3.240	2.000		11.610				

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
88.90	3.40	82.30	50.80	16	306.83	119.88	1.00	5.6.001	5.3.2261KX & 5.40.1011
3.500	0.134	3.240	2.000		12.080	4.720			
88.90	3.40	82.30	50.80	16	282.95	99.82	1.00	5.6.002	5.3.288KX & 7C.40.703
3.500	0.134	3.240	2.000		11.140	3.930			

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78



Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
103.88	4.57	94.94	63.50	16	329.94	133.35	1.00	6.6.001	6.3.2651KX & 6.40.521
4.090	0.180	3.738	2.500		12.990	5.250			
103.88	4.57	94.94	63.50	16	279.40	134.62	1.00	6.6.001S	Steel Splines Limited Stock Available
4.090	0.180	3.738	2.500		11.000	5.300			
103.88	4.57	94.94	63.50	16	355.60	133.35	1.00	6.6.002	6.3.2551KX & 6.40.521
4.090	0.180	3.738	2.500		14.000	5.250			
103.88	4.57	94.94	63.50	16	279.90	98.55	1.00	6.6.003	6.3.2671KX & 6.40.541
4.090	0.180	3.738	2.500		11.020	3.880			

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
116.58	4.57	107.64	76.20	16	345.94	127.00	1.00	6.5.6.001	6.5.3.1351KX & 6.5.40.191
4.590	0.180	4.238	3.000		13.620	5.000			

Yoke Shaft & Barrel / Slip & Stub Assembly

Yoke Shaft & Barrel / Slip &



116.58	4.57	107.64	76.20	16	345.94	85.72	1.00	6.5.6.002	6.5.3.1351KX & 6.5.40.201
4.590	0.180	4.238	3.000		13.620	3.375			

Spicer Series: 1800 Suits:5.124X 59.10 x 167.49

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
88.90	4.77	79.56	76.20	10	356.87	82.55	1.00	6.5.6.1800	
3.500	0.188	3.132	3.000		14.050	3.250			

SPL Series: SPL140 Suits:SPL140X 49.20 x 138.71

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
110.00	5.00	100.20			278.00		2.00	140.6.001	
					10.945				

SPL Series: SPL170 Suits:SPL170X 55.00 x 164.00

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
			88.01	34	298.45	194.99	2.00	170.6.002	Interaxle Application Less Boot 170.211987X Female Butt
			3.465		11.750	7.677			
120.00	6.00	108.20	88.01	34	310.00	194.99	2.00	170.6.001	
4.724	0.236	4.260	3.465		12.205	7.677			


SPL Series: SPL250 Suits:SPL250X 60.00 x 163.00

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
132.00	6.00	120.20	97.99	38	276.00	109.98	2.00	250.6.001	
5.197	0.236	4.733	3.858		10.866	4.330			
132.00	6.00	120.20	97.99	38	280.00	75.00	2.00	250.6.003X	USE WITH 250.211959X BOOT KIT

RPL Series: RPL25 Suits:CP25RPLS 52.35 x 208.28

Tube (OD)	Tube (T)	Butt (B)	Spline (S)	Qty (S)	Length (L)	Total Slip	Type	Part #	Notes
116.58	4.57	107.64	76.20	16	324.86	88.90	1.00	25RP.6.001	
4.590	0.180	4.238	3.000		12.790	3.500			

Weld Yoke



Weld Yoke

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
			36.00		K1.26.GB717	
3.000	0.065	2.878				
50.80	1.65	47.70	35.10		K1.26.GB17	Solid butt
2.000	0.065	1.878	1.380			
63.50	1.65	60.40	34.50		K1.26.GB67	
2.500	0.065	2.378	1.360			
69.85	1.65	66.75	32.80		K1.26.GB137	
2.750	0.065	2.628	1.290			

Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
50.80	2.10	46.80	38.10		2.28.2417	
2.000	0.083	1.842	1.500			
63.50	1.65	60.40	38.10		2.28.1947	
2.500	0.065	2.378	1.500			
69.85	1.65	66.75	39.00		2.28.1947.1	
2.750	0.065	2.628	1.530			


Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
50.80	2.41	46.18	44.50		K2.26.GB17	Can use 687.15
2.000	0.095	1.818	1.750			
63.50	1.65	60.40	44.00		K2.26.GB1517	Can use 687.15
2.500	0.065	2.378	1.730			

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
3.000	0.125	2.758	43.00		AL2.28.30125	
3.500	0.125	3.258	62.00		AL2.28.35125	
50.80	2.10	46.80	42.90		2.28.357	
2.000	0.083	1.842	1.690			
50.80	2.41	46.18	42.90		2.28.577	
2.000	0.095	1.818	1.690			
63.50	1.65	60.40	47.00		2.28.277	
2.500	0.065	2.378	1.850			
63.50	2.10	59.50	46.70		2.28.367	
2.500	0.083	2.342	1.840			
63.50	2.41	58.88	47.00		2.28.2700	
2.500	0.095	2.318	1.850			
69.85	1.65	66.75	62.00		2.28.307	
2.750	0.065	2.628	2.440			

Weld Yoke



Weld Yoke

69.85	2.10	65.85	42.90	2.28.1617
2.750	0.083	2.592	1.690	
76.20	1.65	73.10	42.90	2.28.327
3.000	0.065	2.878	1.690	
76.20	2.10	72.20	42.90	2.28.437
3.000	0.083	2.842	1.690	
82.55	1.65	79.45	43.00	2.28.557
3.250	0.065	3.128	1.693	
88.90	1.65	85.80	42.90	2.28.397
3.500	0.065	3.378	1.690	

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
63.50	2.10	59.50	43.70	2.28.1707		
2.500	0.083	2.342	1.720			
76.20	1.65	73.10	43.70	2.28.1177		
3.000	0.065	2.878	1.720			
76.20	2.10	72.20	43.70	2.28.1697		
3.000	0.083	2.842	1.720			
88.90	1.65	85.80	46.00	2.28.1977		
3.500	0.065	3.378	1.810			
88.90	2.10	84.90	46.00	2.28.1717		
3.500	0.083	3.342	1.810			


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
			57.50	3.28.58		* C-End solid butt - not machined for tube
			2.260			
63.50	2.10	59.50	49.30	3.28.47		
2.500	0.083	2.342	1.940			
76.20	2.10	72.20	50.80	3.28.57		
3.000	0.083	2.842	2.000			
88.90	1.65	85.80	36.50	3.28.257		
3.500	0.065	3.378	1.810			
88.90	2.10	84.90	46.00	3.28.427		
3.500	0.083	3.342	1.811			

Spicer Series: 1350 Performance Suits:5.627X 30.16 x 92.08

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
88.90	3.05	83.00	44.50	AL3.28.977		Aluminium 6061-T6 Use With AL3.5X.125 Tube
3.500	0.120	3.268	1.750			
101.60	3.18	95.44	44.50	AL3.28.40125		
4.000	0.125	3.758	1.752			
127.00	3.18	120.84	73.50	AL3.28.50125		Aluminium 6061-T6 Use With AL5X.125.20 Tube
5.000	0.125	4.758	2.880			

Weld Yoke



Weld Yoke

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
			60.00 2.360		3.28.017	* C-End solid butt - not machined for tube
50.80 2.000	2.76 0.109	45.48 1.790	52.00 2.050		3.28.657	
76.20 3.000	2.10 0.083	72.20 2.842	54.10 2.130		3.28.97	
76.20 3.000	2.41 0.095	71.58 2.818	54.20 2.130		3.28.267	
88.90 3.500	1.65 0.065	85.80 3.378	54.00 2.126		3.28.367	
88.90 3.500	2.10 0.083	84.90 3.342	54.10 2.130		3.28.557	
88.90 3.500	2.41 0.095	84.28 3.318	54.10 2.130		3.28.1637	
114.30 4.500	2.41 0.095	109.68 4.318	51.60 2.030		3.28.577	


Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
88.90 3.500	2.10 0.083	84.90 3.342	51.60 2.030		3.28.537	
88.90 3.500	2.41 0.095	84.28 3.318	52.00 2.047		3.28.567	
101.60 4.000	2.10 0.083	97.60 3.842	51.60 2.030		3.28.507	
114.30 4.500	2.41 0.095	109.68 4.318	51.60 2.030		3.28.517	

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
76.20 3.000	2.41 0.095	71.58 2.818	58.00 2.283		4.28.167	
88.90 3.500	2.41 0.095	84.28 3.318	55.60 2.190		4.28.307	
88.90 3.500	2.41 0.095	84.28 3.318	68.30 2.690		4.28.417	
88.90 3.500	3.40 0.134	82.30 3.240	58.00 2.283		4.28.487	
101.60 4.000	2.10 0.083	97.60 3.842	55.60 2.190		4.28.277	

Weld Yoke



Weld Yoke

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
76.20	2.41	71.58	69.90		K4.26.GB477	
3.000	0.095	2.818	2.750			
88.90	2.41	84.28	71.90		K4.26.GB547	
3.500	0.095	3.318	2.830			

Spicer Series: 1650 Suits:5.165X 41.28 x 142.00

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
3.500	0.134	3.240			5.28.357	

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
88.90	3.40	82.30	76.20		5.28.627	
3.500	0.134	3.240	3.000			
103.90	4.57	94.96	76.20		5.28.327	
4.090	0.180	3.738	3.000			

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
103.90	4.57	94.96	77.00		6.28.347	
4.090	0.180	3.738	3.030			
116.60	4.57	107.66	77.00		6.28.407	
4.590	0.180	4.238	3.030			
403.90	4.57	394.96	93.70		6.28.467	Wide Angle
4.090	0.180	3.738	3.690			

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
90.20	5.26	79.88	85.90		6.5.28.137	
3.550	0.207	3.144	3.380			
114.30	6.58	101.34	85.90		6.5.28.127	
4.500	0.259	3.990	3.380			
116.60	4.57	107.66	85.90		6.5.28.117	
4.590	0.180	4.238	3.380			


SPL Series: SPL170 Suits:SPL170X 55.00 x 164.00

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
120.00	5.00	110.20	120.00		170.28.27	Suits Interaxle Fabrication
4.725	0.197	4.339	4.720			
132.00	6.00	120.20	94.00		170.28.17	
5.197	0.236	4.733	3.701			

SPL Series: SPL250 Suits:SPL250X 60.00 x 163.00

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
132.00	6.00	120.20	104.00		250.28.17	
			4.094			

Weld Yoke



Weld Yoke


RPL Series: RPL20 Suits:CP20RPLS 52.35 x 174.75

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
4.090	0.180	3.738	95.00		20RP.28.001	

RPL Series: RPL25 Suits:CP25RPLS 52.35 x 208.28

Tube (OD)	Tube (T)	Butt (B)	Length (L)	Angle (F)	Part #	Notes
116.60	4.57	107.66	94.00		25RP.28.001	
4.590	0.180	4.238	3.700			

Stub



Type 1.



Type 2.

Stub

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
26.92 1.060	16					300.00 11.811		1.42.300	FULL LENGTH SPLINED BAR
26.92 1.060	16	50.80 2.000	1.60 0.065	47.80 1.878	103.80 4.090	44.45 1.750	1	K1.42.GB1901	K1.3.A360
26.92 1.060	16	63.50 2.500	1.65 0.065	60.40 2.378	105.99 4.173	44.50 1.752	1	K1.42.GB1921	K1.3.A360


Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
31.75 1.250	16	31.75 1.250	3.04 0.120	25.87 1.018	155.70 6.130	50.80 2.000	1	2.40.1771	2.3.4441KX
31.75 1.250	16	44.45 1.750	1.65 0.065	41.35 1.628	291.79 11.488		1	2.40.971	10.3.121KX
31.75 1.250	16	50.80 2.000	2.11 0.083	46.78 1.842	152.40 6.000	50.80 2.000	1	2.40.1741	2.3.8861KX
31.75 1.250	16	63.50 2.500	1.65 0.065	60.40 2.378	196.90 7.750	63.50 2.500	1	2.40.2301	2.3.8961KX

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
34.93 1.375	16					300.00 11.811		2.42.300	FULL LENGTH SPLINED BAR
34.95 1.375	16	50.80 2.000	2.10 0.083	46.80 1.842	131.80 5.188	57.15 2.250	1	2.40.1031S	STEEL SPLINE. LTD QTY'S AVAIL.
34.93 1.375	16	50.80 2.000	2.11 0.083	46.78 1.842	131.70 5.188	57.20 2.250	1	2.40.1031	2.3.128KX
34.93 1.375	16	50.80 2.000	2.11 0.083	46.78 1.842	157.20 6.188	57.20 2.250	1	2.40.2451	2.3.5221KX
34.93 1.375	16	50.80 2.000	2.41 0.095	46.18 1.818	129.00 5.080	44.50 1.750	1	2.40.2701	2.3.128KX
34.93 1.375	16	50.80 2.000	2.41 0.095	46.18 1.818	196.90 7.750	50.80 2.000	1	2.40.3081	2.3.5821KX
34.93 1.375	16	63.50 2.500	1.65 0.065	60.40 2.378	136.00 5.350	57.20 2.250	1	2.40.1041	2.3.128KX
34.93 1.375	16	63.50 2.500	1.65 0.065	60.40 2.378	129.00 5.080	50.80 2.000	1	2.40.2721	2.3.128KX (CAN USE 2.40.1041)
34.93 1.375	16	63.50 2.500	2.11 0.083	59.48 2.342	161.00 6.340	57.20 2.250	1	2.40.1711	2.3.5221KX
34.93 1.375	16	63.50 2.500	2.11 0.083	59.48 2.342	191.20 7.525	57.20 2.250	1	2.40.1851	2.3.5821KX
34.93 1.375	16	63.50 2.500	2.41 0.095	58.88 2.318	135.90 5.350	57.20 2.250	1	2.40.2891	2.3.128KX

Stub



Type 1.



Type 2.

Stub

34.93	16	76.20	1.65	73.10	163.60	57.20	1	2.40.1221	2.3.5221KX
1.375		3.000	0.065	2.878	6.440	2.250			
34.93	16	76.20	1.65	73.10	193.70	57.20	1	2.40.2051	2.3.5821KX
1.375		3.000	0.065	2.878	7.625	2.250			
34.93	16	76.20	2.11	72.18	164.00	57.20	1	2.40.1521	2.3.5221KX
1.375		3.000	0.083	2.842	6.460	2.250			
34.93	16	76.20	2.11	72.18	219.10	172.20	2	2.40.1871	2.3.5821KX WITH SPLINED DUSTCAP
1.375		3.000	0.083	2.842	8.625	6.780			


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
					165.00			3.40.1511	
		3.000	0.083	2.842					
38.10	16				300.00			3.42.300	FULL LENGTH SPLINED BAR
1.500					11.811				
38.10	16	50.80	2.77	45.46	177.00	80.00	1	3.40.3101	STEEL SPLINE
1.500		2.000	0.109	1.790	6.970	3.150			
38.10	16	63.50	2.10	59.50	198.00	76.20	1	3.40.1410.1	HAS SHOULDER FOR BYG4582
1.500		2.500	0.083	2.342	7.795	3.000			
38.10	16	63.50	2.11	59.48	141.20	63.50	1	3.40.1471	3.3.598KX
1.500		2.500	0.083	2.342	5.560	2.500			
38.10	16	76.20	2.10	72.20	198.00	76.20	1	3.40.1410	HAS SHOULDER FOR BYG4582
1.500		3.000	0.083	2.842	7.795	3.000			
38.10	16	76.20	2.11	72.18	150.90	63.50	1	3.40.1101	CAN USE 3.40.3901
1.500		3.000	0.083	2.842	5.940	2.500			
38.10	16	76.20	2.11	72.18	184.20	63.50	1	3.40.1611	CAN USE 3.40.3891
1.500		3.000	0.083	2.842	7.250	2.500			
38.10	16	76.20	2.41	71.58	350.00	75.00	1	3.40.350	Limited Stocks Available. Special for cross member clearance PTO
1.500		3.000	0.095	2.818	13.780	2.950			
38.10	16	76.20	2.41	71.58	183.00	75.00	1	3.40.3891	3.3.488KX CAN REPLACE 3.40.1421
1.500		3.000	0.095	2.818	7.200	2.950			
38.10	16	76.20	2.41	71.58	156.00	65.00	1	3.40.3901	CAN USE 3.40.1101
1.500		3.000	0.095	2.818	6.140	2.560			
38.10	16	88.90	0.08	88.93	191.30	76.20	1	3.40.1491	3.3.508KX / 3.3.488KX
1.500		3.500	0.083	3.342	7.530	3.000			
39.62	16	88.90	2.10	84.90	171.00	76.20	1	3.40.1571S	STEEL SPLINE LTD QTY'S AVAIL.
1.560		3.500	0.083	3.342	6.732	3.000			

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
					155.00			3.40.1511	
1.500	16	3.000	0.083	2.842					

Stub



Stub

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
39.62	16	88.90	2.11	84.88	222.30	76.20	1	3.40.1391	3.3.1641KX
1.560		3.500	0.083	3.342	8.750	3.000			
39.62	16	88.90	2.11	84.88	273.10	76.20	1	3.40.1411	3.3.1661KX
1.560		3.500	0.083	3.342	10.750	3.000			
39.62	16	88.90	2.11	84.88	171.50	76.20	1	3.40.1571	3.3.1601KX
1.560		3.500	0.083	3.342	6.750	3.000			

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
1.750	16				330.00			4.42.330	Full Spline Bar - No Butt also Suit Mechanics Applications


Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
44.45	16				300.00			4.42.300	FULL LENGTH SPLINED BAR
1.750					11.811				
44.45	16	88.90	2.41	84.28	165.10	68.00	1	4.40.1801	STEEL SPLINE. LTD QTY'S AVAIL.
1.750		3.500	0.095	3.318	6.500	2.675			
44.45	16	88.90	2.41	84.28	234.20	76.20	1	4.40.721	4.3.1431KX
1.750		3.500	0.095	3.318	9.220	3.000			
44.45	16	88.90	2.41	84.28	172.00	76.20	1	4.40.761	4.3.1241KX
1.750		3.500	0.095	3.318	6.770	3.000			
44.45	16	114.30	2.41	109.68	180.00	76.20	1	4.40.491	LTD. QTY'S AVAIL.
1.750		4.500	0.095	4.318	7.080	3.000			


Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
2.000	16				259.00			5.40.1041	Suit 5.3.2141KX
			3.500	-6.992					
	16				192.00			5.40.451S	
		3.500	0.950	1.608					
50.80	16				300.00			5.42.300	FULL LENGTH SPLINED BAR
2.000					11.811				
50.80	16				370.00			5.42.370	FULL LENGTH SPLINED BAR
2.000					14.566				
2.000	16							5.42.450	4140
50.80	16	88.90	2.41	84.28	192.10	88.90	1	5.40.451S	STEEL SPLINE
2.000		3.500	0.095	3.318	7.560	3.500			
50.80	16	88.90	3.40	82.30	246.10	88.90	1	5.40.1011	5.3.2261KX
2.000		3.500	0.134	3.240	9.690	3.500			
50.80	16	88.90	3.40	82.30	258.80	88.90	1	5.40.1041	5.3.2141KX
2.000		3.500	0.134	3.240	10.190	3.500			

Stub



Type 1.



Type 2.

Stub

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
63.50 2.500	16				300.00 11.811			6.42.300	FULL LENGTH SPLINED BAR
63.50 2.500	16	90.00 3.544	4.50 0.177	81.20 3.198	276.10 10.870	244.60 9.629	2	6.40.560	STEEL SPLINE STUB
63.50 2.500	16	103.90 4.090	4.57 0.180	94.96 3.738	268.20 10.560	268.00 10.551	1	6.40.521	6.3.2651KX
63.50 2.500	16	103.90 4.090	4.57 0.180	94.96 3.738	235.00 9.250	101.60 4.000	1	6.40.541	6.3.2671KX
63.50 2.500	16	166.58 4.590	4.57 0.180	157.64 4.238	270.80 10.660	101.60 4.000	1	6.40.621	6.3.2651KX


Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
76.20 3.000	16	116.58 4.590	4.57 0.180	107.64 4.238	285.75 11.250	114.30 4.500	1	6.5.40.191	6.5.3.1371KX
76.20 3.000	16	116.58 4.590	4.57 0.180	107.64 4.238	240.50 9.470	114.30 4.500	1	6.5.40.201	6.5.3.1351KX

Spicer Series: 1880 Suits:5.308X 55.55 x 205.59

Spline Ø	Qty	Tube (OD)	Tube (T)	Butt (B)	Length (L)	Length (L2)	Type	Part #	Notes
76.20 3.000	16	114.30 4.500	6.58 0.259	101.34 3.990	292.90 11.530	114.30 4.500	1	8.40.101	USE 6.5-40-191 MACHINE BUTT

Barrel



Barrel

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
26.93	16.00	63.70	166.37	1.55.A0135	
1.060		2.508	6.550		

Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
34.93	16.00	46.18	134.87	K2.55.008	Suits CB20 / CB21 Used with K2.82.001 & 2.82.001
1.375		1.818	5.310		
34.93	16.00	46.18	132.08	K2.55.700	L/R Discovery Suit K2.82.001
1.375		1.818	5.200		

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
34.93	16.00	65.20	150.00	2.55.A0118	Butt Not Machined
1.375		2.567	5.906		

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
38.10	16.00	70.05	177.80	3.55.A0128	Butt Not Machined
1.500		2.758	7.000		

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
44.45	16.00	89.10	228.60	4.55.A0138	Butt Not Machined
1.750		3.508	9.000		

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
50.80	16.00	89.10	215.90	5.55.A0148	Butt Not Machined
2.000		3.508	8.500		


Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
63.50	16.00	100.20	260.00	6.55.A0158	Butt Not Machined
2.500		3.945	10.236		

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty (S)	Butt (B)	Length (L)	Part #	Notes
76.20	16.00	114.50	266.70	6.5.55.A0168	Part Of BOM 6.5.45.001 Only Butt Not Machined
3.000		4.508	10.500		

Yoke Shaft



Yoke Shaft

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
26.97	16	110.00	44.00		K1.82.2001	Shorten By 12mm To Make 1.82.21
1.062		4.331	1.732			

Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
34.93	16	185.00	90.00		K2.82.001	Discovery K2.55.008 Volvo K2.55.700
1.375		7.283	3.543			

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
34.93	16	185.00	85.00		2.82.001	Suits Volvo K2.55.008
1.375		7.283	3.346			
34.93	16	137.00	50.80	20	2.82.21	2.3.348KX
1.375		5.394	2.000			
34.93	16	167.00	50.80	30	2.82.A111	2.3.128KX
1.375		6.575	2.000			
38.10	16	174.00	57.20	20	2.82.002	Ford Transit Barrel 3.55.165
1.500		6.850	2.252			

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
38.10	16	173.00	63.50	9	3.82.181	3.3.598KX
1.500		6.811	2.500			
38.10	16	132.00	50.80	20	3.82.61	3.3.388KX
1.500		5.197	2.000			
38.10	16	132.00	50.80	20	3.82.61ST	Steel Spline
1.500		5.197	2.000			

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
38.10	16	145.00	50.80	20	3.82.145	Used with 3.3.118KX 217mm C-C comp
1.500		5.709	2.000			
38.10	16	126.20	50.80	20	3.82.81	3.3.468KX
1.500		4.969	2.000			


Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
39.60	16	145.00	50.80		3.82.1504	Use With 3.3.1601KX For 232mm C TO C COMP.
1.559		5.709	2.000			
44.45	16	144.00	50.80	20	3.82.1505	3.3.1505KX
1.750		5.669	2.000			

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
63.50	16	115.80	39.60	8	4.82.191	
2.500		4.559	1.559			

Yoke Shaft



Yoke Shaft

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
50.80 2.000	16	265.00 10.433	85.00 3.346	30	5.82.661	5.3.108KX - 5.3.288KX
50.80 2.000	16	200.00 7.874	69.80 2.748	22	5.82.921	5.3.108KX
50.80 2.000	16	210.00 8.268			5.82.9211	

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
63.50 2.500	16	355.60 14.000	101.60 4.000	45	6.82.1061.1	
63.50 2.500	16	407.20 16.031	101.60 4.000	45	6.82.1061.11	
63.50 2.500	16	381.80 15.031	101.60 4.000	45	6.82.1061.3	
63.50 2.500	16	245.30 9.657	88.90 3.500	24	6.82.1171.10	
63.50 2.500	16	207.30 8.161	76.20 3.000	22	6.82.1251	
63.50 2.500	16	307.20 12.094	88.90 3.500	45	6.82.1281	
63.50 2.500	16	332.50 10.091	88.90 3.500	45	6.82.1281.1	


Spicer Series: 1760 Suits:5.407X 49.21 x 177.80

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
63.50 2.500	16	279.40 11.000	101.60 4.000	35	6.3.82.21.1	

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
76.20 3.000	16	290.50 11.437	101.60 4.000	45	6.5.82.451.1	
76.20 3.000	16	382.50 15.059	114.30 4.500	45	6.5.82.461.10	
76.20 3.000	16	414.30 16.311	114.30 4.500	45	6.5.82.461.12	
76.20 3.000	16	325.40 12.811	114.30 4.500	30	6.5.82.461.13	
76.20 3.000	16	347.60 13.685	114.30 4.500	45	6.5.82.461.4	
76.20 3.000	16	350.80 13.811	114.30 4.500	45	6.5.82.461.8	

Yoke Shaft





Yoke Shaft

76.20 3.000	16	368.00 14.440				6.5.82.461.9
82.55 3.250	18	170.70 6.720	69.90 2.752	12		6.5.82.511.1
82.55 3.250	18	183.40 7.220	69.90 2.752	12		6.5.82.511.3

RPL Series: RPL20 Suits:CP20RPLS 52.35 x 174.75

Spline (S)	Qty (S)	Length (L)	Length (L2)	Angle (F)	Part #	Notes
63.50 2.500	16	341.63 13.450	93.98 3.700	42	20RP.82.1345	Use with 20RP.3.001KX
63.50 2.500	16	386.08 15.200	93.98 3.700	42	20RP.82.1520	Use with 20RP.3.001KX

Slip Yoke & Yoke Shaft



Only C/C assembly. See complete shaft section for more options.

Slip Yoke & Yoke Shaft

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
158.00 6.220	39.88 1.570	34.93 1.375	16	1	20	2.03.158	
158.00				1		2.03.158LZ	
285.00 11.220	50.00 1.969	34.93 1.375	16	1		2.03.285	

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
250.00 9.842	34.80 1.370	38.10 1.500	16	1	22	3.03.250LZ	
335.00 13.189	110.00 4.330			22	5	3.03.335LZ	

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
234.00	40.00					4.03.234	

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
170.00 6.693	35.05 1.380			28		K4.03.170LZ	
270.00 10.630				2		K4.03.270LZ	



Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
141.00 5.551				1		5.03.141	
150.00 5.906				18		5.03.150	

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
167.00 6.575	24.00 0.945	82.55 3.250	18	1	8	6.03.167	
194.00 7.638	24.00 0.945	82.55 3.250	18	1	8	6.03.194	
254.00 10.000	53.00 2.087	63.50 2.500	16	1		6.03.254LZ	12.087" Ext.
320.00 12.598	53.00 2.087	63.50 2.500	16	1		6.03.320LZ	14.685" Ext.
335.00 13.189	65.00 2.559	63.50 2.500	16	1	22	6.03.335LZ	15.748" Ext

Slip Yoke & Yoke Shaft



Only C/C assembly. See complete shaft section for more options.

Slip Yoke & Yoke Shaft

355.00 13.976	121.00 4.764	63.50 2.500	16	1	22	6.03.355LZ	18.740" Ext
375.00 14.764	145.00 5.709	63.50 2.500	16	1	22	6.03.375LZ	20.472" Ext.
397.00 15.630	100.00 3.937	63.50 2.500	16	1		6.03.400LZ	19.567" Ext
400.00 15.748		63.50 2.500	16	2	30	6.03.400LZ.1	Euro Style Full Spline Y/shaft
415.00 16.339	135.00 5.315	63.50 2.500	16	1	45	6.03.415LZ	21.654" Ext
425.00 16.732	149.00 5.866	63.50 2.500	16	1	45	6.03.425.2LZ	22.598" Ext
433.00 17.047	159.00 6.261	63.50 2.500	16	1	45	6.03.433LZ	22.638" Ext.
460.00 18.110	140.00 5.512	63.50 2.500	16	1	45	6.03.460LZ	23.622" Ext.
486.00 19.134	154.00 6.063	63.50 2.500	16	1	45	6.03.486LZ	25.197" Ext.




Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
208.00 8.189		82.55 3.250	18	1	12	6.5.03.208	

SPL Series: SPL170 Suits:SPL170X 55.00 x 164.00

Length (L)	Total Slip	Spline (S)	Qty (S)	Type	Angle (F)	Part #	Notes
150.00				3		1070.03.482	
150.00				3		170.03.443X	

Complete Shaft Assembly



Complete Shaft Assembly

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
1265.00						10.02.1265.1	Suit Cab Over Application
	1165.00				2	K1.02.1165	1140 PSA C/-C/ Stub Unwelded Inc Kits
	45.866						

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
1470.00					2	2.02.1470	2.2.329 FI-FI Stub Unwelded
	57.874						
225.00					2	2.03.225LZ	2.2.239 FI-FI
	8.858						

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
241.00					3	3.03.241LZ.1350	3.2.119 Flanges Both Ends
	9.488						

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
1780.00					2	3.02.1780	Unwelded / Includes Unis
	70.078						
241.00					3	3.03.241LZ.1410	3.2.159 Flanges Both Ends
	9.488						
1500.00						3.04.1500S	Inc 210391.1X
1680.00					4	3.04.1680	Unwelded / Includes 210391.1X & Uni
	66.141						

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
216.00					3	4.03.216LZ.1480	3.2.479 Flanges Both Ends
	8.504						

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
248.00					3	4.03.248LZ.1550	4.2.669 Flanges Fitted Both Ends
	9.764						




Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
230.00					3	5.03.231LZ	5.2.619 Flanges Fitted Both Ends
	9.055						

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
270.00					3	6.03.270LZ	6.2.769 Flanges Fitted Both Ends
	10.620						

Complete Shaft Assembly



Complete Shaft Assembly

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
340.00					3	6.5.03.340LZ	6.5.2.359 Flanges Fitted Both Ends
13.386							

SPL Series: SPL170 Suits:SPL170X 55.00 x 164.00

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
	443.00				3	170.03.443	Interaxle Centre - Centre Including Kits
	17.440						
	482.00				3	170.03.482	Interaxle Centre - Centre Including Kits
	18.976						




RPL Series: RPL20 Suits:CP20RPLS 52.35 x 174.75

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
412.00					3	20RP.03.412	550mm C-/C/ Ext.
16.220							
482.00					1	20RP.03.482	
18.976							

RPL Series: RPL25 Suits:CP25RPLS 52.35 x 208.28

Length (L)	Length (L1)	Length (L2)	Total Slip	Brg Ø (P)	Type	Part #	Notes
					2	25RP.02.001	Please inquire for current stock lengths
					4	25RP.04.001	Please inquire for current stock lengths

End Yoke



End Yoke

Spicer Series: 1210 Suits:5.443X 26.99 x 61.93

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
29.10	26	41.28					CV	2.4.5891	SCV42 Pattern
1.146		1.625							




Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
28.57	10	39.37	76.20	38.10	13		CV HR	2.4.4061X	Dana T.Case TC20
26.000		1.550	3.000	1.500					
28.58	10	39.37	76.20	38.10			U-Bolt HR	2.4.2791	
1.125		1.550	3.000	1.500					
29.10	26	39.37	76.20	38.10	13		CV HR	2.4.4341	Dana T.Case TC30
1.146		1.550	3.000	1.500					
29.10	26	39.37	76.20	38.10	22		U-Bolt HR	2.4.8091X	Dana Axle 30 - 44 - 50
1.146		1.550	3.000	1.500					
30.70	27	38.61	77.72	37.59			Strap HR	2.4.2007.1X	GM 10 Bolt Diff
1.209		1.520	3.060	1.480					
31.37	28	46.03	127.00	61.47			U-Bolt HR	2.4.3104.06LONG	FORD 9" RUJ2039
1.235		1.812	5.000	2.420					
31.37	28	46.03	102.36	61.47	25		U-Bolt HR	2.4.FD01X	FORD 9"
1.235		1.812	4.030	2.420					
31.75	10	50.80	83.31	44.45	30		U-Bolt HR	2.4.4471X	IHC Navistar
1.250		2.000	3.280	1.750					
32.41	29	47.63	74.68	38.10	18		U-Bolt HR	2.4.3801X	Dana Axle 60 - 70
1.276		1.875	2.940	1.500					
33.32	30	49.28	80.26	29.21			Strap HR	2.4.GM03X	GM 10 Bolt
1.312		1.940	3.160	1.150					
33.73	30	44.20	65.79	30.23			Strap HR	2.4.GM01X	GM 12 Bolt
1.328		1.740	2.590	1.190					
34.93	10	53.98	87.33	50.80	22		U-Bolt HR	2.4.1731	New Process G.Box 420 - 435, Warner G.Box T98, Spicer T.Case 23 - 24
1.375		2.125	3.438	2.000					
35.58	32	53.98	87.38	50.80	22		U-Bolt HR	2.4.4191	New Process T.Case 203 - 205 Input
1.401		2.125	3.440	2.000					
35.58	32	47.63	98.55	50.80	13		CV HR	2.4.5341	New Process T.Case 203 - 205 Input
1.401		1.875	3.880	2.000					
35.58	32	49.28	87.38	50.80			Strap HR	2.4.JK01	JK Jeep Wrangler
1.401		1.940	3.440	2.000					

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
31.37	28	46.03	102.36	61.47			U-Bolt HR	2.4.E6TZ	Ford 9" Diff U-Bolt Part # 105
1.235		1.812	4.030	2.420					
33.73	30	44.20	65.79	30.23			Strap HR	2.4.GM02X	GM 12 Bolt
1.328		1.740	2.590	1.190					

End Yoke



End Yoke

35.58	32	47.63	98.55	50.80	13	CV	2.4.5441	New Process T.Case 203 - 205
1.401		1.875	3.880	2.000		HR		

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
31.36	28	46.03	127.00	61.47			U-Bolt HR	3.4.3504.08LONG	Ford 9" 5.178X
1.235		1.812	5.000	2.420					
33.32	30	53.59	81.03	29.21			Strap HR	3.4.0880.1X	GM Light Truck
1.312		2.110	3.190	1.150					
35.58	32	53.98	88.90	50.80	22		U-Bolt HR	3.4.6211	New Process T.Case 203 - 205
1.401		2.125	3.500	2.000					
40.38	30	60.20	95.25	41.40			U-Bolt HR	3.4.0882.1X	GM Light Truck
1.590		2.370	3.750	1.630					

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
32.41	29	47.63	80.98	38.10	22		Strap HR	3.4.5711.1X	Dana Axle 60 - 61 - 70
1.276		1.875	3.188	1.500					
40.38	30	60.20	95.25	41.40			Strap HR	3.4.0884.1X	GM Light Truck
1.590		2.370	3.750	1.630					




Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
			80.00	46.00			FR	K1.4.007	Solid Boss
			3.150	1.811					

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
		53.59	65.00	38.10			FR	2.4.177B	Solid Boss
		2.110	2.560	1.500					
22.23		53.59	65.00	38.10			FR	2.4.583	.875 Bore & .250 Key
0.875		2.110	2.560	1.500					
25.40		50.80	65.00	38.10			FR	2.4.473	1.000 Bore & .250 Key
1.000		2.000	2.560	1.500					
28.58		53.59	65.00	38.10			FR	2.4.503	1.125 Bore & .250 Key
1.125		2.110	2.560	1.500					
28.58		53.60	65.00	38.10			FR	2.4.523	1.125 Bore & .312 Key
1.125		2.110	2.560	1.500					
31.75		53.59	65.00	38.10			FR	2.4.533	1.250 Bore & .312 Key
1.250		2.110	2.560	1.500					
31.75		53.59	75.44	38.10			HR U-Bolt	2.4.783	1.250 Bore & .312 Key
1.250		2.110	2.970	1.500					
34.93		50.80	65.00	38.10			FR	2.4.803	1.375 Bore & .375 Key
1.375		2.000	2.560	1.500					
38.10		53.59	65.00	38.10			FR	2.4.1233	1.500 Bore & .375 Key
1.500		2.110	2.560	1.500					

End Yoke



End Yoke

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
31.75		57.15	75.44	38.10			U-Bolt	3.4.283	1.250 Bore & .312 Key
1.250		2.250	2.970	1.500			HR		

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
31.75		57.15	93.47	52.58			U-Bolt	3.4.343	1.250 Bore & .312 Key
1.250		2.250	3.680	2.070			HR		

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
22.23	13		109.73	38.10			Clamp	2.4.13103	Clamplock Type
0.875			4.320	1.500			FR		
22.23	13	50.80	65.00	39.80			FR	2.4.3331	
0.875		2.000	2.560	1.570					
25.40	15		82.55	38.10			Clamp	2.4.13104	Clamplock Type
1.000			3.250	1.500			FR		
25.40	15	53.59	58.67	26.92			FR	2.4.4921	
1.000		2.110	2.310	1.060					
31.75	14		82.55	38.10			FR	2.4.13106	Clamplock Type
1.250			3.250	1.500			Clamp		
31.75	14	53.59	65.00	38.10			FR	2.4.1741	
1.250		2.110	2.560	1.500					
34.93	21		109.73	38.10			FR	2.4.13107	Clamplock Type
1.375			4.320	1.500			Clamp		
38.10	17		109.73	38.10			FR	2.4.13132	Clamplock Type
1.500			4.320	1.500			Clamp		




Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
34.93	21		91.44	38.10			FR	3.4.13507	Clamplock Type
1.375			3.600	1.500			Clamp		
38.01	23		112.20	38.10			FR	3.4.13543	Clamplock Type
1.500			4.410	1.500			Clamp		

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
63.50	10	95.25					FR	6.4.6611	RT613-6613 RT910-915-9513 W/- Slinger Part# 6.4.6921X
2.500		3.750							
69.85	10	88.90					FR	6.4.4551	RT12 & RT14 Series W/- Slinger Part# 6.4.5251X
2.750		3.500							
69.85	10	95.25					FR	6.4.6821	14613-14615-14714-14 W/- Slinger Part# 6.4.6931X
2.750		3.750							

End Yoke



End Yoke

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
63.50 2.500	10	95.25 3.750					FR	6.5.4.3451	9 Series Fuller W/- Slinger Part# 6.5.4.3551X
63.50 2.500	10	82.55 3.250					FR	6.5.4.3711X	9 Series Fuller Comes with Slinger
69.85 2.750	10	95.25 3.750					FR	6.5.4.3491	15615-15613 W/- Slinger Part# 6.5.4.3561X
69.85 2.750	10	95.25 3.750					HR Strap	6.5.4.3491.1	16718B-16609-16613-16618-18718B and various other models W/- Slinger Part# 6.5.4.3561.1X
70.97 2.794	54						FR	6.5.4.4631	RT14-15-16-18-20 Series
70.97 2.794	54						HR Strap	6.5.4.4631.1	RT14-15-16-18-20 Series




Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
60.33 2.375	46						HR	6.5.4.3251	Transmission

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
45.47 1.790	34	66.68 2.625	160.27 6.310		45	FR Output	FR	6.4.6451	W/- Slinger Part# 6.4.8521X
45.47 1.790	34	66.68 2.625	137.92 5.430		25	FR Output	FR	6.4.6481	
51.41 2.024	39	66.68 2.625	133.35 5.250		33	FR Input	FR	6.4.5991	W/- Slinger Part# 6.4.6001X
51.41 2.024	39	66.68 2.625	156.21 6.150		45	RR Input	FR	6.4.6021X	
51.41 2.024	39	76.20 3.000	155.58 6.125		40	RR Input	Strap HR	6.4.8411.1	W/- Slinger Part# 6.4.8991.1X
51.41 2.024	39	76.20 3.000	133.35 5.250		30	RR Input	Strap HR	6.4.8421.1	W/- Slinger Part# 6.4.9031.1X
51.41 2.024	39	66.68 2.625	155.58 6.125		45	FR Output	HR Strap	6.4.8431.1	W/- Slinger Part# 6.4.9001.1X
51.41 2.024	39	66.68 2.625	133.35 5.250		30	FR Output	FR	6.4.8441	W/- Slinger Part# 6.4.9041X
54.43 2.143	41	74.63 2.938	168.28 6.625		38	FR Output	FR	6.4.7541	W/- Slinger Part# 6.4.7651X
54.43 2.143	41	74.63 2.938	155.70 6.130		42	RR Input	FR	6.4.7551	W/- Slinger Part# 6.4.7561X or 6.4.9181X
54.46 2.144	32	76.20 3.000	158.75 6.250		45	FR Output	FR	6.4.5791	Spicer J340-S J380-S W/- Slinger Part# 6.4.7171X

End Yoke



End Yoke

54.58 2.149	16	74.63 2.938	168.28 6.625	33	FR Output RR Input	FR	6.4.4591	Early Eaton DS.DP.DT 340 W/- Slinger Part# 6.4.5481X
54.58 2.149	16	74.63 2.938	131.78 5.188	25	FR Input	FR	6.4.4961	Early Eaton DS.DP.DT 340 W/- Slinger Part# 6.4.5061X
57.76 2.274	44	74.63 2.938	131.78 5.188	27	FR Input	FR	6.4.6031	Late Eaton DS.DP.DT 340-40-401-402-451 W/- Slinger Part# 6.4.6041X
57.76 2.274	44	76.20 3.000	131.78 5.188	30	FR Input	HR Strap	6.4.8451.1	Eaton 404-405-454 W/- Slinger Part# 6.4.8981.1X
61.52 2.422	18	85.73 3.375	147.60 5.811	26	FR Input	FR	6.4.4581	Eaton 44D DP DT 440-650 W/- Slinger Part# 6.4.4751X

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
57.76 2.274	44	76.20 3.000	133.35 5.250		30	FR Input	Strap HR	6.5.4.4311.1	Eaton 404-405-454 W/- Slinger Part# 6.5.4.4571.1X
57.76 2.274	44	74.63 2.938	133.35 5.250		30	FR Input	FR	6.5.4.4321	Late Eaton DS.DP.DT 340-40-401-402-451 W/- Slinger Part# 6.5.4.3281X or 6.5.4.4351X
57.76 2.274	44	74.63 2.938	133.35 5.250		30	FR Input	HR Strap	6.5.4.4321.1	Late Eaton DS.DP.DT 340-40-401-402-451 W/- Slinger Part# 6.5.4.3281.1X or 6.5.4.4351.1X
60.71 2.390	46	85.73 3.375	152.40 6.000		30	FR Input	FR	6.5.4.3911	Eaton DS.DP 461-651 W/- Slinger Part# 6.5.4.3921X
60.71 2.390	46	85.73 3.375	152.40 6.000		30	FR Input	HR Strap	6.5.4.3911.1X	Eaton DS.DP 461-651 W/- Slinger Part# 6.5.4.3921.1X




Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
45.06 1.774	34	63.50 2.500	138.13 5.438		35	FR Output	FR	5.4.6261	W/- Slinger Part# 5.4.5081X

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
44.45 1.750	10	69.85 2.750	123.83 4.875		25	FR Output RR Input	FR	6.4.2381	
45.06 1.774	34	63.50 2.500	151.64 5.970		45	FR Output RR Input	FR	6.4.6321	SLHP-SQHP W/- Slinger Part# 6.4.5111X
45.06 1.774	34	63.50 2.500	123.83 4.875		22	FR Output	FR	6.4.6331	SP40-SL SQ100 RS120-230 W/- Slinger Part# 6.4.5131X
50.01 1.969	10	69.85 2.750	133.35 5.250		21	FR Output RR Input	FR	6.4.3221	SSHD Early W/- Slinger Part# 6.4.4361X
50.80 2.000	10	74.63 2.938	131.78 5.188		25	FR Input	FR	6.4.3241	SLHD-SQHD W/- Slinger Part# 6.4.4741X
51.41 2.024	39	69.85 2.750	165.10 6.500		35	FR Output RR Input	FR	6.4.5501	SSHD Late W/- Slinger Part# 6.4.6871X
51.41 2.024	39	69.85 2.750	133.35 5.250		33	FR Output RR Input	FR	6.4.5521	SSHD Late W/- Slinger Part# 6.4.6951X

End Yoke



End Yoke

51.41 2.024	39	76.20 3.000	158.75 6.250	43	FR Input RR Input	FR	6.4.6371	SP40-SL SQ100 Front Input RT140-145-RT380 Rear Output W/- Slinger Part# 6.4.6381X
51.41 2.024	39	76.20 3.000	130.81 5.150	33	FR Input RR Input FR Output	FR	6.4.6401	SP40-SL SQ100 Front Input RT145-160-180-185-380 Front Output RT145-240-RS380 Rear Input
57.15 2.250	10	76.20 3.000	153.92 6.060	24	FR Input	FR	6.4.1991	SSHD Early W/- Slinger Part# 6.4.4411X
60.33 2.375	46	82.55 3.250	144.53 5.690	22	FR Input	FR	6.4.5451	SSHD Late W/- Slinger Part# 6.4.5461X
60.33 2.375	46	82.55 3.250	136.91 5.390	29	FR Input RR Input	FR	6.4.7161	R145-160 Front Input RS:RT160 Rear Input W/- Slinger Part# 6.4.7181X
60.33 2.375	46	82.55 3.250	165.10 6.500	45	FR Input RR Input	FR	6.4.7761	W/- Slinger Part# 6.4.7771X
60.33 2.375	46	82.55 3.250	165.10 6.500	45	FR Input RR Input	HR Strap	6.4.7761.1	W/- Slinger Part# 6.4.7771.1X

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
2.753	43	3.750	1.792	5.409		FR Input	Strap	6.5.4.5131.1X	
51.41 2.024	39	76.20 3.000	131.78 5.188		30	FR Input RR Input FR Output	FR	6.5.4.3371	RT140 Front Input RT160-185 Front Output W/- Slinger Part# 6.5.4.3381X
51.41 2.024	39	76.20 3.000	131.78 5.188		30	FR Input FR Output	HR Strap	6.5.4.3371.1	W/- Slinger Part# 6.5.4.3381.1X
60.33 2.375	46	82.55 3.250	138.18 5.440		30	FR Input	FR	6.5.4.2701	W/- Slinger Part# 6.5.4.2711X
60.33 2.375	46	82.55 3.250	138.18 5.440		30	FR Input	HR Strap	6.5.4.2701.1	W/- Slinger Part# 6.5.4.2711.1X
60.33 2.375	46	82.55 3.250	144.53 5.690		30	FR Input RR Input	FR	6.5.4.3201	RT180-185-380 Front Input RS:RT180-185 Rear Input W/- Slinger Part# 6.5.4.3221X
60.33 2.375	46	82.55 3.250	131.06 5.160		30	FR Input RR Input	FR	6.5.4.3721	W/- Slinger Part# 6.5.4.3731X
60.33 2.375	46	82.55 3.250	131.06 5.160		30	FR Input RR Input	HR Strap	6.5.4.3721.1	W/- Slinger Part# 6.5.4.3731.1X


Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
51.41 2.024	39		131.78 5.188		30	FR Output RR Input	FR	6.5.4.3261	
60.33 2.375	46	88.90 3.500	137.31 5.406		30	FR Input	FR	6.5.4.3251	34,000-80,000 LB Axles

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
0.750			88.50					2.4.PB	

End Yoke



End Yoke

Spicer **Series: 1410** **Suits:K5GB10R 30.16 x 106.35**

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
25.40			112.00					3.4.PB.1410	
1.000									




SPL **Series: SPL170** **Suits:SPL170X 55.00 x 164.00**

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
2.544	49	3.820	6.040	2.682			HR	170.4.08444.1X	Inc. Slinger 5008437. Counter Bore Depth 0.240"

RPL **Series: RPL25** **Suits:CP25RPLS 52.35 x 208.28**

Spline (S)	Qty(S)	Hub (O)	Length (L)	Length (L1)	Angle	Location	Type	Part #	Notes
60.33	46	82.55	120.40	58.93				25RP.4.002	
2.375		3.250	4.730	2.320					

Midship Assembly



Midship Assembly

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Tube Ø	Wall (T)	Butt (B)	Length (L)	Spline (S)	Qty (S)	Brg Ø (P)	Thread	Brg Part #	Part #	Notes
50.80	2.10	46.80		28.58						
2.000	0.083	1.842		1.125	26.00	30	1 18		2.8.1310.30X.1	Suits Falcon 30mm Centre Bearing
76.20	1.65	73.10	153.50							
3.000	0.065	2.878	6.043			30	1 18		2.8.1310.30X	3x.065 Tube / CB57 / CB58


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Tube Ø	Wall (T)	Butt (B)	Length (L)	Spline (S)	Qty (S)	Brg Ø (P)	Thread	Brg Part #	Part #	Notes
						35		CB114/17 3	3.8.882CVX	35mm Brg Suit CV882HD Plunging

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Tube Ø	Wall (T)	Butt (B)	Length (L)	Spline (S)	Qty (S)	Brg Ø (P)	Thread	Brg Part #	Part #	Notes
4.500	0.259	3.990				60		A34MU33 6	8.8.2131.X	

Midship Stub



Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
34.93 1.375	10	76.20 3.000	1.65 0.065	73.10 2.878	76.20 3.000		45.00 1.772	45	M10	1	2	2.57.0901	Retainer K2.72.1300 Washer K2.72.1300A Bolt K2.73.1300
28.16 1.109	26	76.20 3.000	1.65 0.065	73.10 2.878	111.30 4.382		58.30 2.295		M10	1	2	2.57.0902	Retainer K2.72.1300 Washer K2.72.1300A Bolt K2.73.1300
25.40 1.000	23	76.20 3.000	1.65 0.065	73.10 2.878	87.30 3.437		57.30 2.256	30	M10	1	2	K2.57.1300	E.Yoke K2.4.1300 Retainer K2.72.1300 Washer K2.72.1300A Bolt K2.73.1300

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
1.125	26	50.80 2.000	2.11 0.083	46.78 1.842	90.00 3.543				0.625	18	3	2.53.1351	
34.93 1.375	16	50.80 2.000	2.11 0.083	46.78 1.842	203.20 8.000		176.60 6.950	35			1	2.53.511	Suits 2.3.5221KX / Dust Cap 20.0195
34.93 1.375	10	63.50 2.500	1.65 0.065	60.40 2.378	91.50 3.602		59.50 59.500	35	0.750	20	3	2.57.1441	C.Flг 2.1.2831 / E.Yoke 2.4.2671.1 Split Pin 2.72.001 / Washer 2.73.001 Nut 2.74.001
34.93 1.375	16	76.20 3.000	2.11 0.083	72.18 2.842	203.20 8.000		176.60 6.950	35			1	2.53.501	Suits 2.3.5221KX / Dust Cap 28.0195


Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
34.93 1.375	16	63.50 2.500	2.11 0.083	59.48 2.342	205.60 8.094		171.40 6.748	35			1	3.53.1351	Suits 3.3.1501KX
38.10 1.500	16	76.20 3.000	2.11 0.083	72.18 2.842	179.30 7.059		150.70 5.933	40			1	3.53.1031	Suits 3.3.2041KX
34.93 1.375	16	76.20 3.000	2.11 0.083	72.18 2.842	178.60 7.031		151.50 5.965	35			1	3.53.1371	While Stocks Last
34.93 1.375	10	76.20 3.000	2.11 0.083	72.18 2.842	101.60 4.000		67.30 2.650	35	1.000	20	3	3.54.611	1310 E.Yoke 2.4.2671 1350 E.Yoke 3.4.2171 Nut 16.74.101
38.10 1.500	10	76.20 3.000	2.41 0.095	71.58 2.818	105.50 4.154		75.50 2.972	40	1.000	20	3	3.57.2641	1410 C.Flange 3.1.6221 1480-1550 C. Flange K4.1.A2191 Washer 98.216 / Nut 16.74.81
38.10 1.500	10	88.90 3.500	2.11 0.083	84.88 3.342	107.00 4.213	45.00 1.772	63.00 2.480	40	M24	2	3	3.53.352.1	Can be turned down to suit 3" tube. Nut & washers inc. Suit 3.1.6221 & K4.1.A2191
39.62 1.560	16	88.90 3.500	2.11 0.083	84.88 3.342	217.00 8.543		190.30 7.492	40			1	3.53.451	Suits 3.3.1601KX
38.10 1.500	10	88.90 3.500	2.41 0.095	84.28 3.318	103.50 4.075		75.50 2.972	40	1.000	20	3	3.57.2651	1410 C.Flange 3.1.6221 1480-1550 C. Flange K4.1.A2191 Washer 98.216 / Nut 16.74.81


Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
44.45 1.750	16	88.90 3.500	2.41 0.095	84.28 3.318	217.40 8.559		190.00 7.480	45			1	4.53.61	Suits 4.3.1241KX Dust Cap D4K


Midship Stub



Type 1.



Type 2.



Type 3.

Midship Stub

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
44.45	10	88.90	3.40	82.30	110.20		81.00	45	1.250	18	3	5.53.141	E.Yoke 5.4.1721 Washer 230123.6 Nut 231502
1.750		3.500	0.134	3.240	4.339		3.189						

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
49.53	10	88.90	3.96	81.18	131.10		103.20	50	1.250	18	3	6.53.151	E.Yoke 6.4.1981 Washer 230123.6 Nut 231502
1.950		3.500	0.156	3.196	5.161		4.063						
49.53	10	103.89	4.57	94.95	131.10		103.20	50	1.250	18	3	6.53.201	E.Yoke 6.4.1981 Washer 230123.6 Nut 231502
1.950		4.090	0.180	3.738	5.161		4.063						
59.50	16	103.89	4.57	94.95	134.90		101.60	60	1.250	18	3	6.53.311	1710 E.Yoke 6.4.4601 1810 E.Yoke 6.5.4.1891 Washer 230123.6 / Nut 231502
2.340		4.090	0.180	3.738	5.311		4.000						
57.15	10	110.00	6.00	98.20	131.20		88.50	60	M27	2	3	6.53.571	Suits C.Bearing CB94 For Franna Crane Washer 6.73.571 Nut6 .74.571
2.250		4.331	0.236	3.867	5.165		3.484						

Spicer Series: 1760 Suits:5.407X 49.21 x 177.80

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
59.70	46	103.89	4.57	94.95	134.90		101.60	60	1.250	18	3	6.3.53.21	E.Yoke 6.4.7481.1 Washer 230123.6 Nut 231502
2.359		4.090	0.180	3.738	5.311		4.000						




Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
57.15	10	114.30	6.58	101.34	134.10		95.25	60	1.250	18	3	8.53.41	E.Yoke 6.5.4.2131 Mack Bearing A34MU336 Washer 230123.6 / Nut 231502
2.250		4.500	0.259	3.990	5.280		3.750						
59.70	46	116.59	4.57	107.65	134.90		101.60	60	1.250	18	3	6.5.53.171	Washer 230123.6 Nut 231502
2.359		4.590	0.180	4.238	5.311		4.000						
59.50	16	116.59	4.57	107.65	134.90		101.60	60	1.250	18	3	6.5.53.91	E.Yoke 6.5.4.1891 Washer 230123.6 Nut 231502
2.340		4.590	0.180	4.238	5.311		4.000						

SPL Series: SPL250 Suits:SPL250X 60.00 x 163.00

Spline Ø	Qty	Tube Ø	Wall (T)	Butt (B)	(L)	(L2)	(L3)	(P)	(J)	(TP)	Type	Part #	Notes
59.70	46	130.00	5.00	120.20	162.00		98.60	60	M30	2	3	250.53.11	Suits 132 X 6mm Tube Washer 230123.6 Nut 250.74.11
2.375		5.118	0.197	4.732	6.378		3.882						

Midship End Yoke



Midship End Yoke

Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
25.40	26				K2.4.1300	
1.000						

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
34.93	10	62.99	30.18	FR	2.4.0901	2.57.0901
1.375		2.480	1.188			
34.93	10	81.76	44.45	Strap	2.4.2671.1	2.57.1441 (2.5x.065)
1.375		3.219	1.750	HR		

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
34.93	10	83.34	47.52	HR	3.4.178.1X	3.54.611 (3x.083)
1.375		3.281	1.871	Strap		

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
38.10	10	94.46	50.80	HR	3.4.6561	3.57.2641 (3x.095), 3.57.2651 (3.5x.095) 3.70.28X
1.500		3.719	2.000	Strap		

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
38.10	10	102.39	50.80	HR	3.4.3091.1	3.57.2641 (3x.095), 3.57.2651 (3.5x.095)
1.500		4.031	2.000	Strap		

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
38.10	10	95.89	50.80	HR	4.4.2051	3.57.2641 (3x.095), 3.57.2651 (3.5x.095)
1.500		3.775	2.000	U-Bolt		




Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
44.45	10	104.78	57.15	FR	5.4.1721	5.53.141 (3.5x.134)
1.750		4.125	2.250			
44.45	10	104.78	57.15	HR	5.4.1721.1	5.53.141 (3.5x.134)
1.750		4.125	2.250	Strap		

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
49.78	10	127.00	76.20	FR	6.4.1981	6.53.201 (4.09x.180)
1.960		5.000	3.000			
49.78	10	127.00	76.20	HR	6.4.1981.1	6.53.201 (4.09x.180)
1.960		5.000	3.000	Strap		
49.98	38	127.00	76.20	FR	6.4.7141	6.53.411 (4.09x.180)
1.968		5.000	3.000			
49.98	38	127.00	76.20	HR	6.4.7141.1	6.53.411 (4.09x.180)
1.968		5.000	3.000	Strap		

Midship End Yoke



Midship End Yoke

59.53 2.344	16	125.43 4.938	69.85 2.750	FR	6.4.4601	6.53.311 (4.09x.180)
59.53 2.344	16	125.43 4.938	69.85 2.750	HR Strap	6.4.4601.1	6.53.311 (4.09x.180)
60.70 2.390	46	125.43 4.938	69.85 2.750	HR Strap	6.4.7481.1	6.3.53.21 (4.09x.180)

Spicer Series: 1760 Suits:5.407X 49.21 x 177.80

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
59.53 2.344	16	139.70 5.500	59.85 2.750	FR	6.3.4.161	6.53.311 (4.09x.180)

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
59.53 2.344	16	139.70 5.500	69.85 2.750	FR	6.5.4.1891	6.5.53.91 (4.59x.180)
59.54 2.344	16	139.70 5.500	69.85 2.750	HR Strap	6.5.4.1891.1	6.5.53.91 (4.59x.180)
60.70 2.390	46	139.70 5.500	69.85 2.750	HR Strap	6.5.4.3591.1	6.5.53.171 (4.59x.180) 210661.1X or 210875.1X NUT 231502 WASHER 230123.6


SPL Series: SPL250 Suits:SPL250X 60.00 x 163.00

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
60.70 2.390	46	146.05 5.750	69.85 2.750	HR Strap	250.4.21.1	250.53.11 (132X6)

RPL Series: RPL25 Suits:CP25RPLS 52.35 x 208.28

Spline (S)	Qty(S)	Length (L)	Length (L1)	Type	Part #	Notes
60.70 2.390	46	124.46 4.900	69.85 2.750	Strap HR	25RP.4.001	6.5.53.171 (4.59x.180) 210661.1X or 210875.1X NUT 231502 WASHER 230123.6

Midship Companion Flange



Midship Companion Flange

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
34.93	10	97.00	60.33	79.38	9.52	4	51.00	60.70	60.70	36.60		2.1.2831	Suits 2.57.1441
34.93	10	126.00	45.00						55.60	36.60		2.1.2831SF	Blank Face & suits 2.57.1441
34.93	10	126.00	79.38	107.95	11.12	4	76.20	76.20	55.60	36.60		2.1.7333	Saginaw Face suit 2.57.1441

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
38.10	10	116.00	69.85	95.25	11.12	4	58.80	80.90	59.05	45.00		3.1.014	Suits 3.57.2641 & 3.57.2651
38.10	10	120.00	70.00	100.00	12.20	4	64.30	76.60	68.30	50.80		3.1.352	Suits 3.57.2641 & 3.57.2651
38.10	10	117.70	69.85	95.25	11.12	4	61.20	72.90	68.30	50.80		3.1.6221	Suits 3.57.2641 & 3.57.2651
44.45	10	148.00	80.00	100.00	12.20	4	55.00	95.30	69.00	58.00		3.1.013	Suits 5.53.141

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
44.45	10	175.00	168.20	155.57	9.52	8			79.60	57.00		K5.1.A0741	Suits 5.53.141

Spicer Series: 1500 Suits:K5GB15R 39.70 x 115.90

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
38.10	10	146.00	95.25	120.65	12.70	4	77.50	92.40	68.30	50.80		K4.1.A2191	Suits 3.57.2641 & 3.57.2651
44.45	10	146.00	95.25	120.65	12.70	4	77.50	92.40	76.20	57.00		K4.1.A0761	Suits 5.53.111 & 5.53.141

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
44.45	10	150.00	90.00	130.00	12.20	8			68.00	52.20	55.5	5.1.150812	Suits 5.53.141 / 150 DIN Flange Bolt Pattern

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Bore (S)	Qty (S)	OD (N)	Spigot (K)	PCD (D)	Hole (D1)	Qty (D1)	(D2)	(D3)	FC (L)	DTH (L1)	Hub (O)	Part #	Notes
59.53	16	203.20	196.85	184.15	11.12	12			87.30	69.85		6.5.1.1811	Suits 6.53.311 & 6.5.53.91

Midship Small Parts

Midship Small Parts

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Thread (JxPW)	Part #	Notes
0.625	2.74.1351	BOM Part Only 2.8.1310.30X.1
.750 20	2.72.001	Split Pin
.750 20	2.73.001	Washer
.750 20	2.74.001	Castellated Nut

Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Thread (JxPW)	Part #	Notes
1.000 20	16.73.216	Washer
1.000 20	16.74.101	Self Lock Nut Flanged
1.000 20	16.74.81	Castellated Nut

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Thread (JxPW)	Part #	Notes
	6.74.571	
31.75 18	6.74.001	Castleated

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69


Thread (JxPW)	Part #	Notes
1.250 18	20.74.91	Self Lock Nut Flanged - Large
1.250 18	230123.6	Washer
1.250 18	231502	Self Lock Nut Flanged

SPL Series: SPL250 Suits:SPL250X 60.00 x 163.00

Thread (JxPW)	Part #	Notes
30 2	250.74.11	Self Lock Nut Flanged

Double Cardan

Double Cardan



Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Universal Joint	Centre 'H' Yoke	Flange Yoke	Weld Yoke	Centering	Part #	Application
5.433.1X	2.26.507	SCV82	2.28.1777X		800R1310.1	Ford Jeep CV
				687.20.12758/59	800R1310.1410	Iveco/1410
5.433.1X	2.26.507	SCV82	2.28.1747X		800R1310.2	Ford Jeep CV
5.433.1X	2.26.507	211229X	2.28.1777X		800R1310.3	Ssangyong Musso
K5.13XR				687.20.12758/59	800R1310.4	1310 Face
5.433.1X				687.20.12758/59	800R1310.5	Discovery
K5.13XR				687.20.12758/59	800R1310.6	Mitsubishi
				687.20.12758/59	800R1310.6.1410	Iveco/1410
K5.13XR				687.20.12758/59	800R1310.7	Prado
K5.13XR				687.20.12758/59	800R1310.9	Hilux

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08

Universal Joint	Centre 'H' Yoke	Flange Yoke	Weld Yoke	Centering	Part #	Application
RUJ3002.1A	2.26.527	SCV79	2.28.2137X		800R1330.1	Ford CV

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08




Universal Joint	Centre 'H' Yoke	Flange Yoke	Weld Yoke	Centering	Part #	Application
5.178X.1A	3.26.757	3.83.024X	3.28.1747.1X		800R1350.1	Ford
5.178X.1A	3.26.757	3.28.3281X	3.28.1747.1X		800R1350.2	Saginaw
5.178X					800R1350.IS	Isuzu

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Universal Joint	Centre 'H' Yoke	Flange Yoke	Weld Yoke	Centering	Part #	Application
					800R1410.1	

Double Cardan Dimensional Data

Double Cardan Dimensional



Spicer Series: 1300 Suits:K5L4R 26.99 x 74.61

Tube Ø	Wall	Butt (B)	Lth (L1)	Lth (L2)	Lth (L3)	PCD (D)	Ø (D1)	Qty	(D2) Bolt Pattern	(D3)	Spgt (K)	Type (K)	Part #	Notes
													SCV82ANG	CV Repair Ball Kit Non Geasable. Suit 1300 Series Discovery

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Tube Ø	Wall	Butt (B)	Lth (L1)	Lth (L2)	Lth (L3)	PCD (D)	Ø (D1)	Qty	(D2) Bolt Pattern	(D3)	Spgt (K)	Type (K)	Part #	Notes
			68.30					-					2.26.507	Centre Yoke
			2.689											
							7.92	4	38.10	59.44			SCV82	CV Yoke Repair Kit Inc Ball
							0.312		1.500	2.340			SCV82NG	CV Yoke Inc Ball Kit UNF Threaded Holes Non Geasable
						73.91	86.00	7.92	6		100.00		2.83.206	100mm CV Adaptor Bolts to SCV82
						2.910	3.386	0.312			3.937			
						73.90	88.90	8.00	4	60.00	68.00	46.00	2.83.288	Hilux Adaptor Flange; Bolts to SCV82
						2.910	3.500	0.315		2.362	2.677	1.811		
						41.10	88.90	12.50	4	62.87	62.87	50.80	211229X	Ball F/yoke Musso
						1.618	3.500	0.492		2.475	2.475	2.000		
						49.20	94.74	10.49	4	67.00	67.00	65.00	2.21.3191	Ball F/yoke Discovery
						1.937	3.730	0.413		2.638	2.638	2.559		
						60.50	107.95	11.51	4	76.20	76.20	79.38	2.83.188.1X	Saginaw Adaptor Bolts to SCV82
						2.382	4.250	0.453		3.000	3.000	3.125		
31.75	3.05	25.85		36.60									2.28.1797X	Weld Pin Yoke Suit 1.25x0.120"
1.250	0.120	1.018		1.441										
50.80	3.05	44.90		36.60									2.28.1777X	Weld Pin Yoke Suit 2.000x0.120"
2.000	0.120	1.768		1.441										
63.50	2.11	59.48		36.60									2.28.1747X	Weld Pin Yoke Suit 2.500x0.083"
2.500	0.083	2.342		1.441										

Spicer Series: 1330 Suits:RUJ3002 26.99 x 92.08


Tube Ø	Wall	Butt (B)	Lth (L1)	Lth (L2)	Lth (L3)	PCD (D)	Ø (D1)	Qty	(D2) Bolt Pattern	(D3)	Spgt (K)	Type (K)	Part #	Notes
			69.85										2.26.527	Centre Yoke
			2.750											
							7.92	4	38.10	73.03			SCV79	CV Yoke Inc Ball Kit; UNF Threaded Holes
							0.312		1.500	2.875			SCV82A	CV Repair Ball Kit
63.50	2.11	59.48		35.10									2.28.2137X	Weld Pin Yoke Suit 2.500x0.083
2.500	0.083	2.342		1.382										

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08


Tube Ø	Wall	Butt (B)	Lth (L1)	Lth (L2)	Lth (L3)	PCD (D)	Ø (D1)	Qty	(D2) Bolt Pattern	(D3)	Spgt (K)	Type (K)	Part #	Notes
			73.03										3.26.757	Centre Yoke
			2.875											

Double Cardan Dimensional Data


Double Cardan Dimensional



Type 1






Type 2



Type 3

									SCV82ANG	CV Repair Ball Kit Non Geasable
41.28	107.95	12.00		4	76.20	76.20	50.80			
1.625	4.250	0.472			3.000	3.000	2.000	F	3.83.024X	F/yoke Inc Ball Kit Ford M12x1.75 Holes
41.28	107.95	12.00		4	76.20	76.20	68.00			
1.625	4.250	0.472			3.000	3.000	2.677		3.83.025X	F/yoke Inc Ball Kit Dodge Ram
41.28	107.95	11.13		4	76.20	76.20	79.38			
1.625	4.250	0.438			3.000	3.000	3.125		3.83.3281X	Ball F/yoke Saginaw
63.50	2.41	58.88								
2.500	0.095	2.318							3.28.3281X	Weld Pin Yoke Suit 2.500x0.095
69.85	2.11	65.83								
2.750	0.083	2.592							3.28.1747.1X	Weld Pin Yoke Suit 2.75x.083"
76.20	2.11	72.18								
3.000	0.083	2.842							3.28.1327.1X	Weld Pin Yoke Suit 3x.083"

Dust Cap



Dust Cap

Spicer Series: 1140 Suits:K5LGB80R 23.80 x 61.20

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
26.92 1.060	16.00	No	Crimp	Steel	D1B	
26.92 1.060	16.00	No	Screw	Steel	DCK14A	

Spicer Series: 1310 Suits:K5.13XR 26.99 x 81.76

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
31.75 1.250	16.00	No	Crimp	Steel	D2K	
34.93 1.375	16.00	No	Snap On	Rubber	28.0194	One Piece - Non Greasable
34.93 1.375	16.00	No	Snap On	Rubber	28.0194.1	One Piece - Greasable
34.93 1.375	16.00	Yes	Snap On	Rubber	28.0195	One Piece
34.93 1.375	16.00	No	Screw	Rubber	D2C	
34.93 1.375	16.00	Yes	Screw	Steel	D3E	Slip Yoke Thread - Ø 1.660" Also Suits 1350 Series

Spicer Series: 1350 Suits:5.178X 30.16 x 92.08

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
34.93 1.375	16.00	Yes	Screw	Steel	D3G	Slip Yoke Thread Ø 1.78" Also Suits 1410 Series
38.10 1.500	16.00	No	Screw	Steel	D3A	Also Suits 1410 Series

Spicer Series: 1410 Suits:K5GB10R 30.16 x 106.35

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
1.500	16.00				3.16.1410	1410 Rubber Seal Only
38.10 1.500	16.00	Yes	Screw	Steel	D3K	
39.62 1.560	16.00	No	Screw	Rubber	D3H	Also Suits 1480 Series




Spicer Series: 1480 Suits:5.188X 34.93 x 106.38

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
39.62 1.560	16.00	Yes	Screw	Steel	D3J	

Spicer Series: 1550 Suits:5.155X 34.93 x 126.20

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
1.750	16.00	Yes	Screw	Steel	D4K	

Dust Cap



Dust Cap

44.45 1.750	16.00	No	Screw	Steel	D4J	
67.80 2.670	18.00	No	Screw	Steel	D4L	Close Couple Use

Spicer Series: 1510 Suits:K5GB22R 39.70 x 115.90

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
44.45 1.750	16.00	No	Screw	Steel	DCK51A	

Spicer Series: 1650 Suits:5.165X 41.28 x 142.00

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
50.80 2.000	16.00	No	Screw	Steel	D5E	

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
50.80 2.000	16.00	No	Screw	Rubber	5.86.68	
50.80 2.000	16.00	Yes	Crimp	Steel	D5G	

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
63.50 2.500	16.00	No	Screw	Rubber	6.3.86.18	
63.50 2.500	10.00	No	Screw	Steel	D6A	


Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
76.20 3.000	16.00	No	Screw	Rubber	6.5.86.38	

Spicer Series: 1880 Suits:5.308X 55.55 x 205.59

Spline (S)	Qty (S)	Splined	Type	Compound	Part #	Notes
76.20 3.000	16.00	No	Screw	Steel	D9A	

Welch Plug



Welch Plug

Spicer Series: 1610 Suits:5.279X 47.63 x 134.94

Length (L)	Length (L1)	Part #	Notes
55.88	11.20	5.68.54	Steel - Suits Neapco
2.200	0.441		

Spicer Series: 1710 Suits:5.280X 49.21 x 154.78

Length (L)	Length (L1)	Part #	Notes
66.80	6.35	6.68.13	Steel Dished
2.630	0.250		
69.85	13.46	6.68.51	Steel - Suits Neapco
2.750	0.530		
71.63	20.32	6.68.64	Plastic (6.3.2651KX)
2.820	0.800		
69.85	31.75	6.68.71	Steel - Suits Neapco
2.750	1.250		
71.63	38.10	6.68.74	Plastic (6.3.2671KX)
2.820	1.500		




Spicer Series: 1760 Suits:5.407X 49.21 x 177.80

Length (L)	Length (L1)	Part #	Notes
69.85	27.69	6.3.68.14	Steel - Suits Neapco
2.750	1.090		

Spicer Series: 1810 Suits:5.281X 49.21 x 191.69

Length (L)	Length (L1)	Part #	Notes
84.33	21.59	6.5.68.64	Plastic
3.320	0.850		
84.33	38.86	6.5.68.74	Plastic
3.320	1.530		
82.55	15.88	8.68.13	Steel - Suits Neapco
3.250	0.625		

U-bolts



U-bolts

Uni Cap Ø	Length (L)	Length (L1)	Thread	Type	Qty	Part #	Notes
28.58 1.125	40.48 1.594	46.22 1.820	.312 24	1	2	105	1310 / Ford 9" U Bolt Kit
26.99 1.063	40.38 1.590		.312 24	2	2	107	1310 / 1330 Strap/Bolt Kit
26.99 1.063	35.81 1.410	43.68 1.720	.312 24	1	2	2.94.28X	1310 / 1330 U Bolt Kit
30.15 1.187	46.00 1.811		.312 24	2	2	3.70.28X	1350 / 1410 Strap/Bolt Kit
30.15 1.187	42.16 1.660		.312 24	2	2	3.70.28X.GM	1350 Strap/Bolt Kit Fits 3.4.0880.1X & 3.4.0882.1X Only
30.15 1.187	42.16 1.660	50.80 2.000	.375 24	1	2	3.94.18X	1350 / 1410 U Bolt Kit
34.93 1.375	53.84 2.120		.375 24	2	2	3.70.38X	1480 / 1550 Strap/Bolt Kit
34.93 1.375	48.51 1.910	57.90 2.280	.437 20	1	2	3.94.28X	1480 / 1550 U Bolt Kit
41.27 1.625	60.30 2.375		.500 20	2	2	5.70.18X	1650 Strap/Bolt Kit
47.63 1.875	63.50 2.500		.375 24	2	2	5.70.28X	1610 Strap/Bolt Kit
	58.72 2.312		.312 24	3	1	98.741	1610 Lock Tab Only
	61.97 2.440			3	1	230323	1710 / 1810 Lock Tab Only
49.20 1.937	71.42 2.812		.500 20	2	2	6.5.70.18X	1710 / 1810 Strap/Bolt Kit
	71.43 2.812		.438	3	1	231009	1880 Lock Tab Only
	32.00 1.260	14.00 0.551	M8	1	2	211941X	SPL140 / SPL170 / SPL250 Cap Retainer & Bolt Kit
55.00 2.165	81.28 3.200		M12 1.25	2	2	170.70.18X	SPL170 Strap/Bolt Kit
60.00 2.362	86.36 3.400		M12 1.25	2	2	250.70.18X	SPL250 Strap/Bolt Kit

Weight



Weight

Spicer Series: SPICER Suits: x

Weight (g)	Length (L)	Length (L1)	Part #	Notes
4.00			DLW.04	
5.00			DLW.05	
8.00			DLW.08	
10.00			DLW.10	
10.00	38.00 1.496	15.00 0.591	DLW.10A	Rectangle 15 x 38
15.00	37.00 1.457	26.00 1.024	DLW.15	Rectangle 26 x 37
20.00			DLW.20	
24.00	38.00 1.496	35.00 1.378	DLW.24A	Rectangle 35 x 38
35.00	53.00 2.087	38.00 1.496	DLW.35	Rectangle 53 x 38
40.00	60.00 2.362	38.00 1.496	DLW.40	Rectangle 60 x 38
50.00			DLW.50	
70.00			DLW.70	
70.00			DLW.70.W	114/4 SIZE 9
140.00			DLW.140.W	114/4 SIZE 5



DRIVELINE
SERVICES AUSTRALIA
THE UNDERBODY & POWER TRANSMISSION SPECIALISTS



CONTACT US

Head Office: 56 Colebard Street East Acacia Ridge,
Queensland 4110, Australia

**THE DRIVELINE GROUP IS A NATIONAL NETWORK OF
OVER 100 STAFF AND THIRTEEN FULLY EQUIPPED BRANCHES.**

**BRISBANE | BROKEN HILL | DUBBO | MACKAY | PERTH
MELBOURNE | NEWCASTLE | TASMANIA | SYDNEY | TOWNSVILLE**